

|C|D|A|

Kitchen Retail Brochure 2024



Why choose CDA?

Designed exclusively for British & Irish homes

Our team of appliance experts take inspiration from around the globe and across the latest trends to create a range of products designed exclusively for British & Irish homes.

Our assurance of quality

Our Nottinghamshire based on-site testing laboratory ensures that only safe, reliable products are brought to market. As part of our commitment to high quality products that last, CDA products are subject to stringent quality controls and exacting standards without compromise.

British heritage since 1991

Established in Nottinghamshire, England in 1991, we have built a reputation for affordable, stylish, ingenious, award-winning products that consistently deliver great results. Backed by an incredible local workforce and influenced by how British & Irish homes embrace the essence of family tradition.

Dedicated engineers

We use our own dedicated service engineers, equipped with a large range of CDA spare parts allowing them to achieve an industry-leading first time fix rate. This means minimum inconvenience for you with an engineer attending on average within 5 days of us receiving a call or email so you can get back to enjoying your kitchen.

In-house customer care

Our in-house Customer Care team, based at our head office in Nottinghamshire, is made up of highly knowledgeable and experienced people who are on hand 6 days a week to support you throughout the lifetime of your product.

Independently verified

Our customer service is independently reviewed by Trustpilot, providing insight into our customer experience and product quality. We closely monitor this feedback, identifying and actioning areas for improvement with the goal of always delighting you, our customer.

Part of the Amica Group PLC

In December 2015, CDA became part of the Amica Group. Amica, a kitchen appliance manufacturer based in Poland, operate in 50 countries worldwide and have over 70 years' experience in the industry.



Contents

Sir Do Сс

Ex

Re Re Wi

Di La

Si

A

Cooking

Single ovens	7
Double ovens	19
Compact appliances	23
Hobs	31
Electric hobs	32
Gas hobs	46
Extractors	57

Cooling

efrigeration	71
etro	85
/ine coolers	91

Washing

ishwashers	97
aundry	105

inks a	and	taps	109
--------	-----	------	-----

Accessories	133
ccessories	133

C)ven func	tions explained		Gas grill	This variable of results when of
		h a wide selection of functions to r meal to perfection every time.		Gas oven	Heat rises from cooking (hot a as foods can
ଇଇ	Fan oven/	Using the circular heating element and the fan, this cooking function		Browning oven	The perfect fir browns and c cauliflower or
	Eco fan oven	circulates heated air around the oven cavity; temperatures are achieved quickly reducing the need for preheating. Both cooking temperature and cooking time can be reduced for a more energy-efficient cooking programme. This is perfect for cooking various food types simultaneously as foods are sealed quickly to prevent flavour transfer.		Warming oven	Using heat pro perfect for pro
		The Eco setting on the fan oven or conventional oven uses residual heat to finish cooking your meal, saving energy.		Steam cooking	Cooking with food. Steamin and fruits.
\otimes	Fan cooking with upper heat	Uses the fan element and the top element to create a gentle heat, ideal for reheating already cooked foods or keeping food warm.		Rapid preheat	Select the rap it up to tempe
	Conventional oven	This function uses the top and bottom heating elements only. Natural convection creates a perfect cooking zone in the centre of the oven, ideal for dark fruit cakes and pastries.		Microwave and grill	Food is cooke feature of the
·····	Full grill/Half grill	This fully variable grill is ideal for grilling a full family meal. Selected ovens offer a half grill option, using just the centre section for grilling smaller quantities.		Microwave and fan oven	Food is cooke fan oven.
	Fanned electric	This uses the grill element and the fan to circulate the heat		Microwave, grill and fan oven	This function of cook food the
XX	grill/Fanned half electric grill	around the food. Selected ovens offer a half fanned grill option, using just the centre section for grilling smaller quantities.		Microwave function	Food is cooke of cooking qu
\otimes	Fan cooking with lower heat	Using the fan element to enhance the main heat being produced by the lower heating element, this function is perfect for cooking pizzas.		Steam clean	Use this clear loosen dirt an harsh chemica
X	Fan with lower heat	The fan circulates the heat produced by the bottom heating element, ideal for one-pot dishes such as casseroles or curries.	Ρ	Pyrolytic cleaning	This function r any food depo from the oven
X	Fan-assisted oven	Using the fan to circulate the heat produced by the top and bottom heating elements, this function distributes the heat around the oven to give an even temperature throughout.	Ŕ	Oven light	Full pyrolytic o
X	Fanned gas oven	Heat rises from the gas burner at the base of the oven and is distributed by a fan, creating an even cooking temperature.	×	Defrost	Using the fan cavity, speedi

able gas grill is used with the door ajar, giving you perfect when grilling chops, burgers and sausages.

es from the gas burner at the base of the oven. This method of (hot at the bottom, cooler at the top) is perfect for family meals, is can be cooked at different temperatures at the same time.

fect finishing touch. Using the top element only, this function and crisps food with conventional heat. This is ideal for ver or macaroni cheese.

eat produced only by the bottom element, this natural heat is for proving dough and blind baking.

with the power of steam alone locks more nutrients into your earning is the healthier option for cooking meat, fish, vegetables s.

ne rapid preheat function to boost power to your oven and bring emperature in under 5 minutes.

cooked from the outside in using microwaves with the added of the grill browning the food.

cooked using microwaves and browned on the outside by the n.

ction combines the microwave function and the fan oven to ad thoroughly and brown the top for a perfect oven finish.

cooked from the outside in using microwaves, making this style ng quick and convenient.

cleaning function to harness the natural power of steam and dirt and grease from your oven cavity, without the use of memicals.

ction raises the temperature of your oven to 450°C, reducing d deposits to a fine ash which can then be easily wiped away oven interior.

olytic clean - 2 hours.

minates the oven cavity for easy viewing of food during cooking.

e fan only, this oven function circulates the air around the oven beeding up the natural defrosting process.





The indispensable centrepiece of a modern family kitchen, your CDA oven allows you to get creative with high performance and advanced, reliable technology that is both affordable and stylish. Our expertise in appliance manufacturing has resulted in a range of single ovens that offer perfect results, with functions and technology to suit every type of cook.

Single ovens

Oven features

Brilliant results made easy

Cook your way, whether using fan cooking for efficient and speedy results or exploring the wide range of settings in our truly multifunctional ovens. The precision temperature control with excellent temperature consistency provides evenly cooked results.

Get cooking faster

Simplify your life with fuss-free programme settings on both our rotary and intuitive 3-step Touch&Go control models. Begin meal times sooner with rapid pre-heat getting your oven to cooking temperatures in minutes and pre-set programmes for a quick start, giving you more time for the important things.

Cook more at once

The XXL 77L capacity and huge baking surface area, coupled with 6 shelf positions and specially engineered accessories allow you to flexibly load your oven. A game changer for Sunday dinner with all the trimmings!

Cooking comforts

Smooth and quiet soft close doors along with telescopic shelving add a touch of luxury and ease to your experience.

Effortless cleaning

Our self-cleaning pyrolytic ovens offer the gold standard in fuss-free cleaning by safely heating the oven cavity to a high temperature to incinerate dirt and grease. Our catalytic liner accessories and steam clean programme also help to cut down cleaning time and make for lighter work.





Even baking

Consistency is the secret ingredient for great results. Precise electronic temperature control and optimal hot air circulation gives the most even baking results.



Built-in programmes

Tailored for a wide variety of foods, 19 preset programmes remove the guesswork for everyday favourites or when you simply want to try something new.



3 step Touch&Go

Elegant touch control made easy with 3 intuitive steps for total simplicity.



Telescopic shelving

Bring the food to you! Seamlessly sliding the shelf 75% or 100% out of the oven means checking cooking progress and handling large or heavy cookware is easier and safer.



Bright & clear lighting

Offset lateral lighting as standard across the whole range provides clear illumination throughout the cavity, no matter where you position your food.



Soft close doors

Expertly engineered, soft close doors not only add a quality feel, they prolong the life of your oven, preventing slams and damage.



Removable doors and glass

All models in our SL range have removable doors and inner glass for easy cleaning. Every model is equipped with 3 or more glass panels, keeping the outer door cooler and inside temperatures consistent, all whilst saving energy.

Food probe

Cook like a pro! Serve perfectly roasted meats every time with precision temperature control and monitoring. Simply insert the food probe, set the temperature and let your oven handle the rest.



Single ovens



Stainless steel



SG121

Five function gas oven with electric grill

Features

- Touch control programmable clock/timer
- 70L capacity
- Double glazed door
- Chrome rack sides with integrated anti-tilt shelves
- LPG conversion kit included
- Flame failure safety device included
- Easy clean enamel interior

Accessories

- 1 flat oven shelf
- 1 grill pan with grid
- LPG conversion kit included


Available in

Stainless steel

Energy efficiency rating A


Technical specification

Rated gas input: 2.2kW Rated electrical power: 1.9kW Power supply required: 3A Total useable capacity: 70L net





Stainless steel



SC621

Seven function electric side opening oven

Features

- Touch control programmable clock/timer
- White LED display
- Interior halogen light
- Cooling fan
- · Chrome rack sides with integrated anti-tilt shelves
- Triple glazed removable cool door with removable inner glass for easy cleaning
- Reversible side opening door
- · Easy clean enamel interior
- 2 flat oven shelves
- 1 grill pan with grid


Available in

Stainless steel

Energy efficiency rating A


Technical specification

Rated electrical power: 2.16kW Power supply required: 13A Total useable capacity: 59L net





Stainless steel



SL100

Seven function electric fan oven

Features

- Offset lateral halogen lights
- Chrome rack sides with integrated anti-tilt shelves
- for easy cleaning
- Easy clean enamel interior
- 1 space saver shelf
- 1 grill pan with grid


Available in

Stainless steel

Energy efficiency rating A

Technical specification

Rated electrical power: 2.8kW Power supply required: 13A Total useable capacity: 77L net



- Cooling fan
- 6 shelf positions
- Triple glazed removable door with removable inner glass

Accessories

- 1 easy clean flat oven shelf




Accessories



Black

Stainless steel



SL200

Seven function electric fan oven SL200BL, SL200SS

Features

- Touch control programmable clock/timer
- White LED display
- Offset lateral halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Triple glazed removable door with removable inner glass for easy cleaning
- · Easy clean enamel interior

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid


Available in

Black or stainless steel

Energy efficiency rating A

Technical specification

Rated electrical power: 2.8kW Power supply required: 13A Total useable capacity: 77L net



Single ovens



Black

Stainless steel

SL300

Twelve function multifunction oven SL300BL, SL300SS

Features

- Touch control programmable clock/timer
- White LED display
- Offset lateral halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Triple glazed removable door with inner glass for easy cleaning
- Soft close door
- Easy clean enamel interior

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid
- 1 x 75% telescopic shelf


Available in

Black or stainless steel

Energy efficiency rating ${\boldsymbol{\mathsf{A}}}$

Technical specification

Rated electrical power: 2.8kW Power supply required: 13A Total useable capacity: 77L net





Stainless stee

🖒 = airflow



SL400

Black

Thirteen function multifunction oven SL400BL, SL400SS

Features

- Full intuitive touch control
- White LED display
- Preset programmes
- 3pc catalytic liners
- Offset lateral halogen lights
- Cooling fan
- Safety key lock
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Soft close door
- Triple glazed removable door with inner glass for easy cleaning
- Easy clean enamel interior

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid
- 2 x 75% telescopic shelves

Available in

Black or stainless steel


Energy efficiency rating $\ensuremath{\mathsf{A}}\xspace+$

Technical specification

Rated electrical power: **2.8kW** Power supply required: **13A** Total useable capacity: **77L net**







SL500

Thirteen function pyrolytic oven

Features

- Touch control programmable clock/timer
- White LED display
- Pyrolytic function
- Offset lateral
- halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid


Available in

Stainless steel

Energy efficiency rating A

Technical specification

Rated electrical power: **2.8kW** Power supply required: **13A** Total useable capacity: **77L net**





6 shelf positions

Quadruple glazed

easy cleaning

removable cool door

· Easy clean enamel interior


with inner glass for

XXL 77L Capacity



Black

Stainless steel



SL550

Thirteen function pyrolytic oven SL550BL, SL550SS

Features

- Full intuitive touch control
- White LED display
- Pyrolytic function
- Preset programmes
- Offset lateral halogen lights
- Cooling fan
- Safety key lock
- Chrome rack sides with
 integrated anti-tilt shelves

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid
- 2 x 75% telescopic shelves

Available in


Black or stainless steel

Energy efficiency rating A+

Technical specification

Rated electrical power: 2.8kW Power supply required: 13A Total useable capacity: 77L net

- 6 shelf positions
- Soft close door
- Quadruple glazed removable cool door with inner glass for easy cleaning
- Easy clean enamel interior



Pyrolytic ovens



Black

Stainless steel

6 shelf positions

Quadruple glazed

removable cool door

with removable inner

glass for easy cleaning

· Easy clean enamel interior

Soft close door

SL570

Thirteen function pyrolytic oven SL570BL, SL570SS

Features

- Full intuitive touch control
- White LED display
- Pyrolytic function
- Temperature probe
- Preset programmes Offset lateral halogen lights
- Cooling fan
- Safety key lock

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid
- Extra deep roasting shelves
- 2 x 75% telescopic shelf


Available in

Black or stainless steel

Energy efficiency rating A+

Technical specification

Rated electrical power: 2.8kW Power supply required: 13A Total useable capacity: 77L net



Steam oven





Black

Stainless steel



SL670

Thirteen function steam oven SL670BL, SL670SS

Features

- Full intuitive touch control
- White LED display
- Full steam cooking
- Combination steam cookina
- Temperature probe
- Preset programmes
- 3pc catalytic liners Offset lateral
- halogen lights Cooling fan

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid
- 2 x 100% telescopic shelves
- Extra deep roasting tray

Available in

Black or stainless steel

Energy efficiency rating A+

Technical specification

Rated electrical power: 2.8kW Power supply required: 13A Total useable capacity: 77L net



Chrome rack sides with


integrated anti-tilt shelves

Safety key lock

6 shelf positions

• 9 combination steam





 \Box = aidle

A food lover's dream!

Whether cooking with fully injected steam, traditional heating, or a combination of both, our SL670 gives you endless ways to cook, achieving professional results at home. Not only do you preserve flavour and texture, steam cooking locks in vital nutrients for a delicious and healthy meal. Create a wow factor by trying sous vide cooking to delight guests!





Single ovens comparison chart

To help choose the right product for you, please refer to the comparison chart below.





VC820 (top), SL570 (bottom)




Models from left, VC820, SL300, VK903



Models clockwise from top left, VC820, VK903, SL670, SL570

Model	Туре	Functions	Capacity	Timer	Lateral Lights	Anti Tilt Shelves	Removable Side Racks	Removable Door Glass	Door Glazing	Control Type	Soft Close Door	Cleaning	Safety Lock	Telescopic Shelves	F
SL100*	Fan	7	77L		\checkmark	\checkmark	\checkmark	\checkmark	Triple	Rotary	No	Enamel	No	0	
SL200	Fan	7	77L	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	Triple	Rotary	No	Enamel	No	0	
SL300	Multifunction	12	77L	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	Triple	Rotary	Yes	Enamel	No	1	
SL400	Multifunction	13	77L	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	Triple	Touch	Yes	Steam/ Catalytic	Yes	2	
SL500*	Pyro	13	77L	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	Quad	Rotary	No	Pyro	Yes	0	
SL550	Pyro	13	77L	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	Quad	Touch	Yes	Pyro	Yes	2	
SL570	Pyro	13	77L	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	Quad	Touch	Yes	Pyro	Yes	2	
SL670	Steam	13	77L	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	Triple	Touch	Yes	Steam/ Catalytic	Yes	2	

*Stainless steel only, more information available online at www.cda.co.uk





Double ovens

Providing you more space to explore your cooking creativity, the double oven is a great option for the multi-tasking cook. Offering the flexibility to prepare multiple dishes simultaneously, this affordable and stylish appliance ensures you don't have to compromise on your kitchen design. Explore our built-in or built-under options to match your aesthetic preferences seamlessly.

Double ovens





Black

Stainless steel



DC741

Built-under electric double oven DC741BL, DC741SS

Features

- Touch control programmable clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- Double glazed removable doors with inner glass for easy cleaning

Accessories

- Grill pan with grid
- 3 flat oven shelves

Available in Black or stainless steel


Energy efficiency rating A

Technical specification

Rated electrical power: **4.3kW** Power supply required: **20A** Top oven useable capacity: **35L net** Main oven useable capacity: **50L net**

Fitting Notes

Please ensure you check that there is sufficient clearance above built-under ovens when fitting the relevant hob.



24 D = airflow





Stainless steel



DC941

Black

Built-in electric double oven DC941BL, DC941SS

Features

- Touch control programmable clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- Double glazed removable doors with inner glass for easy cleaning

Accessories

- Grill pan with grid
- 3 flat oven shelves


Available in

Black or stainless steel

Energy efficiency rating A

Technical specification

Rated electrical power: **4.3kW** Power supply required: **20A** Top oven useable capacity: **35L net** Main oven useable capacity: **59L net**





Compact appliances

Bringing versatility to your kitchen, a compact appliance gives you more. Whether you're looking for additional cooking space in a microwave, grill or combination oven, or after a morning hit of caffeine with a coffee machine, our compact appliances are designed to match for an aesthetically pleasing full suite in your home however you choose your layout.

Compact cooking features

An ideal companion for your oven, compact appliances offer extra cooking capacity when you need it, enabling you to simultaneously prepare a variety of dishes. Crafted to complement our single oven range, these appliances are available in both stainless steel and black options, allowing you to customise your kitchen layout for a seamless and aesthetically pleasing look. Additionally, compact appliances can function as standalone units, making them perfect for smaller household spaces.



Espresso yourself

Experience full touch control and fully customisable settings with our coffee machine. From coffee strength to temperatures and even adjusting quantities to suit your preferred cup size, our VC820 ensures a perfectly prepared coffee tailored to your liking.

Procino

The Procino function heats and froths milk in one simple step, creating your ideal latte or cappuccino at the touch of a button.



Steam cooking

Create nutritious and delightful meals effortlessly. Enjoy the health advantages of steam cooking, adding a nutritious touch to your flavourful dishes. The practical integrated grill gives a perfect finish to each meal, inspiring you to get creative with your cooking.







Combination cooking

Exceptionally versatile, the VK903 can serve as an extra fan oven, microwave, a combination of both, or simply as a grill - eliminating the need for separate appliances.

Great results

Harnessing the full cooking capabilities of a single fan oven, complete with efficient heating and consistently even results, you can confidently cook in your compact appliance just as you would in your primary oven.

Multitasking master

Featuring 9 functions, this versatile appliance offers a multitude of easy and creative cooking possibilities. Quickly defrost ingredients, achieve the perfect browning on your family favourite cottage pie while simultaneously baking a cake in your main oven, or speed up the preparation of everyday classics like crispy jacket potatoes with the combi function. Time-saving pre-set programmes eliminate guesswork, making everyday cooking a breeze.

Get cooking faster

Experience the same simplicity and refined design statements of our single ovens with the VK903. The intuitive Touch&Go control not only saves time with rapid start but also offers effortless management of settings. Elevate your cooking efficiency with the rapid pre-heat function, ensuring you reach cooking temperatures within minutes.



Warming drawer

Perfect for heating plates, proving dough, or melting chocolate, these drawers are a versatile and valuable addition to any kitchen.



VM452 Combination cooking

Combining three functions in one neat package, this compact appliance serves as an efficient fan oven, a 900W microwave, and a powerful 1900W grill, providing unparalleled versatility in your kitchen. Featuring up to 9 combination cooking functions giving you numerous ways to try out new things as well as 10 auto cook programmes to keep cooking simple. The sleek touch control wheel ensures effortless operation of this hardworking kitchen appliance.

Microwave cooking

A must-have addition to your kitchen, a built-in microwave gives you great flexibility in cooking. Defrost in minutes, speed up family favourites or use the combination cooking for great results. Our range of built-in microwaves, available in complementary styles to our single ovens, ensures versatility for every kitchen, accommodating a variety of installations and even those with limited space!

Microwaves



Black

Stainless steel

VM131

Built-in microwave oven VM131BL, VM131SS

Features

- Microwave function
- Auto defrost
- Quick start
- LED timer and clock
- 5 microwave power levels 900W max
- Interior lateral light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

Accessories


- Glass turntable 315mm diameter
- Turntable ring

Available in

Black or stainless steel

Technical specification

Rated electrical power: **1.45kW** Power supply required: **13A** Total useable capacity: **25L net**





Black



Stainless steel

VM231

Built-in microwave oven and grill VM231BL, VM231SS

Features

- Microwave function
- Grill function
- Microwave/grill function
- Auto defrost
- Quick start
- LED timer and clock
- 5 microwave power levels 900W max
- Grill rating 1kW
- Interior lateral light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

Accessories


- Glass turntable 315mm diameter
- Turntable ring
- Trivet

Available in

Black or stainless steel

Technical specification

Rated electrical power: **1.45kW** Power supply required: **13A** Total useable capacity: **25L net**







Black

Stainless steel

• LED timer and clock

- 900W max

Grill rating 1.1kW

• 5 microwave power levels

Convection oven rating

programme is 220°C)

temperature on convection

- 2.5kW (maximum

Interior lateral light

programme signal

• Left hand hinged door

Acoustic end of

Safety key lock

VM452

Built-in microwave oven, grill and convection oven VM452BL, VM452SS

Features

- Microwave function
- Grill function
- Convection oven function
- Microwave/grill function
- Microwave/convection
 oven function
- Grill/convection function
- Combination cooking function
- Auto defrost
- 10 auto cook programmes
- Quick start

Accessories

- Glass turntable 315mm diameter
- Turntable ring
- Trivet

Available in


Black or stainless steel

Technical specification

Rated electrical power: 2.5kW Power supply required: 13A Total useable capacity: 25L net

Fitting Notes

This microwave oven has a convection oven function but is not intended to be used as a substitute for a standard oven. Not suitable for built-under worktop fitting.





Stainless steel

VM551

Wall unit microwave oven

Features

- Microwave function
- Manual defrost
- Auto defrost
- 8 auto cook programmes
- Quick start
- LED timer and clock
- 5 microwave power levels 700W max
- Interior light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

Accessories

- Glass turntable 245mm diameter
- Turntable ring

Available in


Stainless steel

Technical specification

Rated electrical power: **1.05kW** Power supply required: **5A** Total useable capacity: **17L net**

Fitting Notes

Not suitable for built-under worktop fitting.



Steam oven



Stainless steel

VK703

Compact steam oven and grill

Features

- Full touch control
- LED display
- Interior lateral halogen light
- Stainless steel interior
- Variable temperature
- Variable grill
- Removable 1L water reservoir
- 8 auto cook programmes
- Programmable clock/timer
- · Double glazed removable door with inner door glass for easy cleaning
- Safety key lock

Accessories

- Stainless steel steam cooking set
- Trivet
- Wire shelf

Available in


Stainless steel

Technical specification

Rated electrical power: 1.3kW Power supply required: 13A Total useable capacity: 32L net

Fitting Notes

Should be installed as a built-in appliance.



Compact combination oven



Black



Stainless steel

VK903

Compact combination microwave, grill and fan oven VK903BL, VK903SS

Features

- Full touch control
- LED display
- 6 microwave power levels 900W max
- Interior light
- Auto defrost
- Programmable clock/timer
- Cooling fan
- Double glazed removable door
- Safety key lock
- Acoustic end of programme signal
- 9 functions
- Compatible with SL100-SL200

Accessories

- Wire shelf
- Glass turntable 360mm diameter
- Turntable ring
- Trivet and grill pan

Available in


Black or stainless steel

Technical specification

Rated electrical power: 3.1kW Power supply required: 13A Total useable capacity: 40L net

Fitting Notes

Should be installed as a built-in appliance.



Coffee maker





Black

Stainless steel

VC820

Fully automatic coffee maker VC820BL, VC820SS

Features

- Fully automatic
- Full touch control
- Electronic programmer with LCD display
- 5 coffee strength settings
- Steam nozzle
- One or two cups
- Compatible with ground coffee and coffee beans
- · Hot water and steam
- Integral water tank: 1.8L
- Integral coffee container: 0.2kg
- Low coffee warning
- Low water warning
- Removable drip trav
- Adjustable grind setting
- Integrated coffee grinder
- · Procino automatic latte and cappuccino
- 5 cup sizes
- 3 temperature settings

Available in

Fitting Notes


Should be installed

as a built-in appliance.

Black or stainless steel

Technical specification

Rated electrical power: 1.35kW Power supply required: 13A Pump pressure: 15 Bar



Warming drawer



Black

Stainless steel

VW153

Push-push warming drawer VW153BL, VW153SS

Features

- Fan heat
- Temperature adjustable from 40°C 80°C
- 6 place settings
- Smooth runners
- Power indicator light
- Push-push opening
- Compatible with SL100-SL200

Available in


Black or stainless steel

Technical specification

Rated electrical power: 0.44kW max Power supply required: 3A Maximum capacity: 20kg

Fitting Notes

Should be installed as a built-in appliance.





Your go-to appliance at meal times and a great counterpart to your oven. Designed to be sleek, stylish and utilise integrated technology to make your life easy, CDA's range includes practical ceramic hobs, professional-style gas hobs and super responsive induction hobs.

Hobs

Electric hob features

Ceramic glass

Offering a sleek aesthetic with its frameless design, ceramic glass is used on both induction hobs and ceramic electric hobs. Not only a practical option for maintaining an easy-to-clean cooking surface, ceramic glass is a safe and stable material that is resistant to abrupt temperature changes and wear and tear of every day life.

Control

Easy control of your cooking is the dream. Whether its hands-on rotary dial control, a more tactile touch or precision touch & slide control, there is an option to suit everyone across our electric hob range.

Flexizones

Bridging zones on induction hobs allow you to link two zones together to create a large cooking surface, perfect for griddles or fish kettles. Dual and triple zones on ceramic hobs extend the radiant surface, allowing for greater flexibility for different sizes of pans.

Induction

Induction hob technology detects the presence of a pan and heats this directly, not the surface, resulting in lower residual temperatures too, meaning spills and drips don't get burnt on, making for an even easier clean.

Done in 60 seconds

Heating up time on an induction hob is nearly twice as fast versus gas and offers up to 40% energy savings. With power boost functions on many models you can speed up the heating process to save time when you need it, boiling 400ml of water in just a mere 60 seconds.

Ready, set, pause!

The pause function stops all active cooking if your attention is needed elsewhere or you need to wait for another dish to finish without worrying about what might spoil on the hob. When you're ready to resume, simply press play and it will even restart your timer!



HN6860

Set and forget

Melt, keep warm, simmer and sear functions provide precise temperature control on induction heating, taking out the guesswork for the optimal temperature and helping you create perfectly cooked dishes every time.



HoodConnect

HoodConnect technology brings connectivity to your kitchen by allowing your hob to communicate directly with your compatible hood. Simply get cooking on your hob and your hood will automatically adjust the extraction as you cook.

Slim fit induction

Our premium induction range features super slim depth, allowing for installation in 28mm worktops above our XXL ovens or even in 12mm worktops above a drawer so that you can maximise your kitchen space without compromise on your perfect layout.

HN6013

Plug & Play +

Fitted with a 13A plug, it's easy to make the move from gas to induction. The HN6013 gives you improved temperature stability and consistency across all 4 cooking zones thanks to its enhanced power efficiency system, whilst operating at a limited 13A connection.



Ceramic hobs



Black

HC3621

Domino two zone ceramic hob

Features

- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter


Available in

Black

Technical specification

Front, 145mm: **1.2kW** Rear, 180mm: **1.8kW** Rated electrical power: **3kW** Power supply required: **13A**

34 CDA Kitchen Brochure 2024



Black

HC6212

Four zone ceramic hob

Features


- Side control
- 6 power levels with indicator light
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Temperature limiter

Available in

Black

Technical specification

Front left, 180mm: **1.8kW** Front right, 145mm: **1.2kW** Rear left, 145mm: **1.2kW** Rear right, 180mm: **1.8kW** Rated electrical power: **6kW** Power supply required: **30A**



Black

HC6312

Four zone ceramic hob

Features


- Front control
- 6 power levels with indicator light
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Temperature limiter


Available in


Black


Technical specification

Front left, 145mm: **1.2kW** Front right, 180mm: **1.8kW** Rear left, 180mm: **1.8kW** Rear right, 145mm: **1.2kW** Rated electrical power: **6kW** Power supply required: **30A**









Black

HC6621

Four zone ceramic hob

Features


- Front control
- Electronic touch control
- LED display
- 9 power levels
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

Available in

Black

Technical specification

Front left, 210mm: **2.3kW** Front right, 145mm: **1.2kW** Rear left, 145mm: **1.2kW** Rear right, 180mm: **1.8kW** Rated electrical power: **6.5kW** Power supply required: **30A**



Ceramic hobs



Black

HC7621

Five zone ceramic hob

Features


- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

Available in

Black

Technical specification

Front left (triple), 120mm: **0.8kW**, 175mm: **1.6kW**, 210mm: **2.3kW** Front right, 145mm: **1.2kW** Centre (dual), 170mm: **1.5kW**, 256mm: **2.2kW** Rear left, 145mm: **1.2kW** Rear right, 180mm: **1.8kW** Rated electrical power: **8.7kW** Power supply required: **40A**



Induction hobs



Black

HC9621

Five zone ceramic hob

Features


- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

Available in

Black

Technical specification

Front left (triple), 120mm: **0.8kW**, 175mm: **1.6kW**, 210mm: **2.3kW** Front right, 145mm: **1.2kW** Centre (dual), 170mm: **1.5kW**, 256mm: **2.2kW** Rear left, 145mm: **1.2kW** Rear right, 180mm: **1.8kW** Rated electrical power: **8.7kW** Power supply required: **40A**





Black

HN3621

Domino two zone induction hob

Features


- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Keep warm function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

Available in

Black

Technical specification Front, 160mm: **1.4kW**

Rear, 160mm: 1.4kW Rear, 160mm: 1.4kW Rated electrical power: 2.8kW Power supply required: 13A





Black

HN6013

Four zone Plug and Play induction hob

Features


- Front touch control
- Slim fit installation to 12mm worktop
- 3 precision cook programmes
- Timer
- Zone boost function
- Residual heat indicators
- Fitted with a 13A plug
- Key lock
- 14 power levels
- Automatic pan detection
- Quiet operation
- Stable heating power

Available in

Black

Technical specification

Front left, 210mm: **2kW or 2.8kW with booster** Front right, 160mm **1.4kW or 2.1kW with booster** Rear left, 160mm **1.4kW or 2.1kW with booster** Rear right, 210mm **2kW or 2.8kW with booster** Rated electrical power: **2.8kW** Power supply required: **13A plug**



Induction hobs



Black

HN6112

Four zone induction hob

Features


- Front touch control
- Slim fit installation in a 12mm worktop
- 3 precision cook programmes
- Timer
- Zone boost function
- Residual heat indicators
- 14 power levels
- Key lock
- Automatic pan detection
- Quiet operation
- Stable heating power

Available in

Black

Technical specification

Front left, 210mm: 2kW or 3kW with booster Front right, 160mm 1.4kW or 2.1kW with booster Rear left, 160mm 1.4kW or 2.1kW with booster Rear right, 210mm 2kW or 3kW with booster Rated electrical power: 7.4kW Power supply required: 32A





Black

HN6860

Four zone HoodConnect induction hob

Features


- Front touch and slide control
- Slim fit installation in a 12mm worktop
- 4 precision cook programmes
- HoodConnect with CCH60BL Hood
- Zone boost function
- Residual heat indicators
- Timer
- Key lock
- Pause/restart function
- Auto bridging zone
- 14 power levels
- Automatic pan detection
- Quiet operation
- Stable heating power

Available in

Black

Technical specification

Front left, 210mm: 2kW or 3kW with booster Front right, 180mm 1.6kW or 2.5kW with booster Rear left, 160mm 1.4kW or 2.1kW with booster Rear right, 180mm 1.6kW or 2.5kW with booster Rated electrical power: 7.4kW Power supply required: 32A





Black

HN6732

Four zone configurable induction hob

Features

- Front control
- Electronic touch
- LED display
- 9 power levels Booster function on all zones
- 99 minute timer
- Residual heat indicators
- system
- Pause/restart function

Available in


Black

Technical specification

Front left, 210mm: 2kW or 2.8kW with booster Front right, 180mm: 1.5kW or 2.5kW with booster Rear left, 160mm: 1.2kW or 1.4kW with booster Rear right, 180mm: 1.5kW or 2.5kW with booster Rated electrical power: 2.8/3.7/6/7.4kW (configurable) Power supply required: 13-32A (configurable)

Fitting notes

If the hob is configured for use with a supply below 32A, the hob will automatically regulate the power consumption so as not to exceed the power available.



 Right zones bridging function Easy clean surface

• Keep warm function

- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection Small object detection
- Time limit security system
- Temperature limiter
- Safety key lock

Power management



Black

HN6841

Four zone induction hob

Features


- Front touch control
- Electronic touch and slide control
- LED display
- 9 power levels
- Booster function on all zones
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Keep warm function
- Melt function simmer function
- Left zones bridging function
- · Right zones bridging function

Available in

Black

Technical specification

Front left, 220mm: 2.2kW or 3.7kW with booster Front Right, 220mm: 2.2kW or 3.7kW with booster Rear left, 220mm: 2.2kW or 3.7kW with booster Rear right, 220mm: 2.2kW or 3.7kW with booster Rated electrical power: 7.4kW Power supply required: 32A



Induction hobs



Black

HN7750

Five zone induction hob

Features

- Five zone induction hob
- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Easy clean surface
- Bridging zone
- Automatic pan detection

Available in

Black

Technical specification

Front left, 180mm: 1.5kW or 1.8kW with booster Front right, 180mm: 1.2kW or 1.5kW with booster Centre zone: 210mm: 1.8kW or 2.2kW with booster Rear left, 180mm:: 1.2kW or 1.5kW with booster Rear right, 180mm: 1.5kW, 1.8kW with booster Rated electrical power: 7.2kW Power supply required: 32A



Black

HN9611

Five zone induction hob

Features


- Front control
- Electronic touch
- LED display
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Keep warm function
- Melt function
- Simmer function

Available in

Black

Technical specification

Front left, 210mm: 2.1kW or 3.7kW with booster Front right, 210mm: 2.1kW or 3.7kW with booster Centre: 260mm: 2.6kW or 3.7kW with booster Rear left, 210mm: 2.1kW or 3.7kW with booster Rear right, 210mm: 2.1kW or 3.7kW with booster Rated electrical power: 11.1kW Power supply required: 45A





Black


HN9626

Four zone linear induction hob

Features

- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Safety key lock
- Residual heat indicators

Centre left, 180mm: 1.2kW or 1.4kW with booster Centre right, 180mm: 1.2kW or 1.4kW with booster Front right, 220mm: 2.3kW or 3kW with booster Rated electrical power: 7.4kW Power supply required: 32A



Pause/restart function

Keep warm function

• Easy clean surface

Overflow detection

Overheat detection

Automatic pan detection

Small object detection

• Auto safety switch off

safety glass

Ceramic shatterproof

safety glass Overflow detection Overheat detection

- Automatic pan detection
- Small object detection

Left zones bridging

Right zones bridging

• Easy clean surface

Ceramic shatterproof

function

function

 Auto safety switch off · Time limit security system

• Temperature limiter

Black

Available in **Technical specification**

Front left, 220mm: 2.3kW or 3kW with booster



Matte black

HNE81

4 zone Indu-Air induction hob

Features


- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Matte black finish
- Bridging zone
- Automatic pan detection
- Extraction energy efficiency rating A

Available in

Matte black

Technical specification

Front left, 180mm: 2kW Front right, 140mm: 1.5kW Rear left, 180mm: **1.5kW** Rear right, 180mm: 1.5kW Rated electrical power: 7.2kW Power supply required: 32A



Electric hobs



Stainless steel

HE6052

Four plate electric hob

Features


- Side control
- 6 power levels with indicator light
- 2 rapid plates

Available in

Stainless steel

Technical specification

Front left, 180mm rapid: 2kW Front right, 145mm: 1kW Rear left, 145mm rapid: 1.5kW Rear right, 180mm rapid: 1.5kW Rated electrical power: 6kW Power supply required: 30A



Electric hobs comparison chart

To help choose the right product for you, please refer to the comparison chart below.

Model	Width	Zones	Controls	No of Power Levels	Heating Technology	Key Lock	Safety Cut Off Timer	Cooking Timer	Residual Heat Indicators	Automatic Pan Detection	Boost Function
HC3621FR	30cm	2	Touch	9	Ceramic	\checkmark	\checkmark	\checkmark	\checkmark		
HC6212FR	60cm	4	Rotary	6	Ceramic				\checkmark		
HC6312FR	60cm	4	Rotary	6	Ceramic				\checkmark		
HC6621FR	60cm	4	Touch	9	Ceramic	\checkmark			\checkmark		
HC7621FR	77cm	5	Touch	9	Ceramic	\checkmark	\checkmark	\checkmark	\checkmark		
HC9621FR	90cm	5	Touch	9	Ceramic	\checkmark	\checkmark	\checkmark	\checkmark		
HN3621FR	30cm	2	Touch	9	Induction	\checkmark		\checkmark	\checkmark	\checkmark	
HN6013FR	60cm	4	Touch	14	Induction	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark
HN6112FR	60cm	4	Touch	14	Induction	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark
HN6860FR	60cm	4	Touch and Slide	14	Induction	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark
HN6732FR	60cm	4	Touch	9	Induction	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
HN6841FR	60cm	4	Touch and Slide	9	Induction	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
HN7750FR	77cm	5	Touch and Slide	9	Induction	\checkmark		\checkmark	\checkmark	\checkmark	
HN9611FR	90cm	5	Touch	9	Induction	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark
HN9626FR	90cm	4	Touch and Slide	9	Induction	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark
HNE81FR	80cm	4	Touch and Slide	9	Induction	\checkmark		\checkmark	\checkmark	\checkmark	



Gas hob features

Our gas hob selection offers a diverse range of sizes and burner options, catering to households of all sizes. Choose from finishes in stainless steel, black, and stylish gas on glass models to suit various kitchen preferences.

The built-in ignition streamlines operation, allowing for quick and easy burner activation. Set your desired temperature effortlessly with one-handed control by simply pressing and turning the knob. As a safety standard, all CDA gas hobs come equipped with flame-safe devices, ensuring worry-free cooking for you and your family.



Pan supports

Beautiful, solid cast iron pan supports are included as standard with many of our hobs.



Enamelled pan supports

HG6151 & HG6251 have enamelled pan supports if you prefer a dishwasher-friendly option.





HVG621

Gas on glass

Beautiful to look at and hassle free cleaning, gas on glass hobs make a stunning addition to any kitchen. Bevelled edges finish the look and unique pan support designs create a statement. Designed to withstand higher temperatures, the 6mm thick toughened glass provides not only peace of mind, but a beautiful, sleek look.



Contrasting, ergonomically designed dials make precision setting quick and simple.









HG6251

HVG731

PrecisionFlame

Putting a modern twist on the traditional gas hob, our new range of matte black gas on glass offers PrecisionFlame control across 9 heat levels, allowing you to accurately and quickly set precise flame heights.



5

Digital timer

The ingenious digital timer brings simplicity to your hob cooking. Featuring a clear white LED display, you can effortlessly check the time remaining at a glance. For maximum convenience, the burner automatically switches off once the set time has passed. Eggs boiled to perfection, every time!



Wok burners

Extra powerful burners allow you to turn up the heat rapidly when you need it and wok supports give peace of mind when getting creative.

Gas hobs



Stainless steel

HG6151

Four burner gas hob

Features

- Side control
- Enamel pan supports
- Automatic ignition
- Flame failure safety device

Accessories

LPG conversion kit included

Available in Stainless steel

Technical specification

Front left, rapid: 3kW Front right, auxiliary: **1kW** Rear left, semi-rapid: 1.75kW Rear right, semi-rapid: 1.75kW Rated gas input: **7.5kW** Rated electrical power: 1.1W Power supply required: 3A





Stainless steel

Flam's

HG6251

Four burner gas hob HG6251BL, HG6251SS

Features

Black

- Front control

Accessories

Available in

Black or stainless steel



HG6351

Stainless steel

Four burner gas hob



Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories


- Wok support
- · LPG conversion kit included

Available in


Stainless steel

Technical specification

Front left, triple ring/wok: 3.8kW Front right, auxiliary: **1kW** Rear left, semi-rapid: 1.75kW Rear right, semi-rapid: 1.75kW Rated gas input: 8.3kW Rated electrical power: 1.1W Power supply required: 3A



Flam[®] Safe





- Automatic ignition
- Flame failure safety device
- Wok burner

LPG conversion kit included

Technical specification

Front left, triple ring/wok: 3.8kW Front right, auxiliary: **1kW** Rear left, semi-rapid: 1.75kW Rear right, semi-rapid: 1.75kW Rated gas input: 8.3kW Rated electrical power: 1.1W Power supply required: 3A



Black

HG7251

Five burner gas hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories

- Wok support
- LPG conversion kit included


Available in

Black

Technical specification

Front left, semi-rapid: 1.75kW Front right, auxiliary: **1kW** Centre, triple ring/wok: 3.8kW Rear left, semi-rapid: 1.75kW Rear right, rapid: 3kW Rated gas input: **11.3kW** Rated electrical power: 2W Power supply required: 3A





Gas hobs



Stainless steel

HG7351

Five burner gas hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories

- Wok support
- LPG conversion kit included

Available in

Stainless steel

Technical specification

Front left, semi-rapid: 1.75kW Front right, auxiliary: **1kW** Centre, triple ring/wok: 3.8kW Rear left, semi-rapid: 1.75kW Rear right, rapid: **3kW** Rated gas input: **11.3kW** Rated electrical power: 2W Power supply required: 3A



Stainless steel

HG9351



HVG621



Four burner gas on glass hob

1 1 1 1

Features

Black

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Bevelled edges


Accessories

LPG conversion kit included


Available in Black

Technical specification

Front left, rapid: 3kW Front right, auxiliary: **1kW** Rear left, semi-rapid: 1.75kW Rear right, semi-rapid: 1.75kW Rated gas input: **7.5kW** Rated electrical power: 1.1W Power supply required: 3A



Flam's





Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories

- Wok support
- LPG conversion kit included

Available in

Stainless steel

Technical specification

Front central, auxiliary: **1kW** Front right, semi-rapid burner: **1.75kW** Left, wok burner: 3.8kW Rear centre, rapid: 3kW Rear right, semi-rapid: 1.75kW Rated gas input: 11.3kW Rated electrical power: 2W Power supply required: 3A







Black

HVG721

Five burner gas on glass hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Bevelled edges
- Wok burner

Accessories

- Wok support (not shown)
- LPG conversion kit included


Available in

Black

Technical specification

Front left, auxiliary: 1.1kW Front right, semi-rapid: **1.75kW** Centre, wok: 3.8kW Rear left, rapid: 3kW Rear right, semi-rapid: 1.75kW Rated gas input: **11.3kW** Rated electrical power: 1.1W Power supply required: 3A





Gas hobs



Matte black

HVG631

Four burner gas on glass hob

Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Matte black finish
- Wok burner
- Digital timer
- PrecisionFlame

Accessories

LPG conversion kit included

Available in Matte black

Technical specification Front left, semi-rapid: 1.75kW

Front right, auxiliary: **1kW** Rear left, semi-rapid: 1.75kW Rear right, wok burner: **3.5kW** Rated gas input: 8kW Rated electrical power: 2kW Power supply required: 3A



Matte black

HVG731

Five burner gas on glass hob

Features

Flam's Safe

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Matte black finish
- Wok burner
- Digital timer
- PrecisionFlame

Accessories


LPG conversion kit included

Available in

Matte black

Technical specification

Front left, semi-rapid: 1.75kW Front right, auxiliary: **1kW** Rear left, semi-rapid: 1.75kW Rear right, rapid: 3kW Centre, wok burner: 3.5kW Rated gas input: 8kW Rated electrical power: 2.8kW Power supply required: 3A







Gas hobs comparison chart

To help choose the right product for you, please refer to the comparison chart below.

Model	Width	Zones	Controls	Available In	Pan Supports	Wok Burner	Wok Support Included	Flame Failure Safety Device
HG6151	60cm	4	Side	Stainless Steel	Enamel			\checkmark
HG6251	60cm	4	Front	Black, Stainless Steel	Enamel	\checkmark		\checkmark
HG6351	60cm	4	Front	Stainless Steel	Cast Iron	\checkmark	\checkmark	\checkmark
HG7251	70cm	5	Front	Black	Cast Iron	\checkmark	\checkmark	\checkmark
HG7351	70cm	5	Front	Stainless Steel	Cast Iron	\checkmark	\checkmark	\checkmark
HG9351	90cm	5	Front	Stainless Steel	Cast Iron	\checkmark	\checkmark	\checkmark
HVG621	60cm	4	Front	Black	Cast Iron			\checkmark
HVG721	70cm	5	Front	Black	Cast Iron	\checkmark	\checkmark	\checkmark
HVG631	60cm	4	Front	Matte Black	Cast Iron	\checkmark		\checkmark
HVG731	70cm	5	Front	Matte Black	Cast Iron	\checkmark		\checkmark

LPG Conversion Kit Included	Digital Timer	PrecisionFlame
\checkmark		
\checkmark	\checkmark	\checkmark
\checkmark	\checkmark	\checkmark



A great way to keep your kitchen both looking and smelling fresh. With a range of stylish extractors that can seamlessly blend in or beautifully stand out, CDA offers high quality hoods that integrate both aesthetic and functionality with ingenious features to make cooking in your kitchen a delight.



Stainless steel



CST62

Standard extractor CST62SS, CST62WH

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filter
- LED lights

Optional Accessories

- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA39 (pack of 1)

Available in Stainless steel or white

Energy efficiency rating C

Technical specification

Required height over gas hob: 700mm (min) Required height over electric hob: 650mm (min) Noise level: 60dBA Extraction rate: 197m³/h Outlet diameter: 120mm Rated electrical power: 64W Power supply required: 3A



Stainless steel

CTE62SS 60cm Telescopic extractor

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- LED Lights

Optional Accessories

Energy efficiency rating C

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 600mm (min) Noise level: 63dBA Extraction rate: 255m³/h Outlet diameter: 120mm Rated electrical power: 74W Power supply required: 3A



Stainless steel

CTE92SS

90cm Telescopic extractor

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- LED Lights
- Aluminium grease filter

Optional Accessories


• Charcoal filter for re-circulation, CHA43 (Pack of 2)


Available in Stainless steel

Energy efficiency rating C

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 600mm (min) Noise level: 63dBA Extraction rate: 258m³/h Outlet diameter: 120mm Rated electrical power: 74W Power supply required: 3A









- Aluminium grease filter

Charcoal filter for re-circulation, CHA43 (Pack of 2)

Stainless steel

Available in



Silver

EIN60

Integrated extractor EIN60S, EIN60FSI

(EIN60FSI comes with aluminium grease filter as standard)

Features

- Ducted/re-circulating installation
- 3 speeds
- Slider control
- 1 x 4W LED light

Optional Accessories

- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA15 (pack of 1)
- Aluminium grease filter, GRE3M
- Acrylic grease filter, GRE1


Available in

Silver

Energy efficiency rating B

Technical specification

Required height over gas hob: **700mm (min)** Required height over electric hob: 600mm (min) Noise level: 62dBA Extraction rate: 193m³/h Outlet diameter: 120mm Rated electrical power: 49W Power supply required: 3A





Silver 0 0

..... 0

0

Black

White

CCA52/72

Canopy extractor CCA52BL/SI/WH, CCA72SI

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filter
- 2 x 2W LED lights

Optional Accessories


- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA15 (pack of 1)

Available in CCA52 - Silver, white or black, CCA72 - Silver

Energy efficiency rating C

Technical specification

Required height over gas hob: 700mm (min) Required height over electric hob: 600mm (min) Noise level: 64dBA Extraction rate: 220m³/h Outlet diameter: 120mm Rated electrical power: 41.5W Power supply required: 3A





Black

CCH60



CCG60

Α

Gesture canopy extractor

Features

Black

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch-free gesture control
- Touch control
- LED lights
- Timer


Optional Accessories


- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA37 (Pack of 2)

Energy efficiency rating A

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 450mm (min) Noise level: 66dBA Extraction rate: 540m³/h Outlet diameter: 150mm Rated electrical power: 95W Power supply required: 3A







HoodConnect canopy extractor

Features

- Touch control
- Aluminium grease filter

- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA41 (Pack of 1)

Available in

Black

Energy efficiency rating A

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 450mm (min) Noise level: 69dBA Extraction rate: 665m³/h Outlet diameter: 150mm Rated electrical power: 276W Power supply required: 3A





- 3 speeds + intensive

- LED lights
- Remote control
- Adjustable lighting

Optional Accessories

Available in

Black

Fitting Notes

Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





ECH63/93

Chimney extractor ECH63SS/BL 60cm wide, ECH93SS/BL 90cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 2 x 4W LED lights

Optional Accessories


- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA37 (pack of 2)

Available in Stainless steel or black

Energy efficiency rating C

Technical specification

Required height over gas hob: 700mm (min) Required height over electric hob: 650mm (min) Noise level: 64dBA Extraction rate: 475m³/h Outlet diameter: 150mm Rated electrical power: 158W Power supply required: 3A





ECP62/72/82/92

Curved glass extractor ECP62SS/BL 60cm wide, ECP72SS/BL 70cm wide, ECP82SS/BL 80cm wide. ECP92SS/BL 90cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 2 x 2W LED lights


Optional Accessories

- Ducting kits: 120mm, AED510/560, 150mm, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)

Available in

Energy efficiency rating D

Technical specification Required height over gas hob: 700mm (min) Required height over electric hob: 600mm (min) Noise level: 60dBA Extraction rate: ECP62/72/82 - 391m³/h, ECP92/102/112 - 377m3/h Outlet diameter: 120mm/150mm Rated electrical power: 104W Power supply required: 3A





Stainless steel

ECPK91

Curved glass extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 4 x 2W LED lights

Optional Accessories

- Ducting kits: 120mm, AED510/560, 150mm, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)


Available in

Stainless steel

Energy efficiency rating D

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 600mm (min) Noise level: 61dBA Extraction rate: 387m³/h Outlet diameter: 120mm/150mm Rated electrical power: 108W Power supply required: 3A





Stainless steel or black

Fitting Notes

Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



Stainless steel

EKP60/70

Curved glass extractor with edge lighting EKP60SS/BL 60cm wide, EKP70SS/BL 70cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filters
- 2 x 2W LED lights
- 3W of edge lighting
- 9 minute timer

Optional Accessories

- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA17 (pack of 2)


Available in

Stainless steel or black

Energy efficiency rating D

Technical specification

Required height over gas hob: 700mm (min) Required height over electric hob: 600mm (min) Noise level: 69dBA Extraction rate: 336m³/h Outlet diameter: **120mm** Rated electrical power: 127W Power supply required: 3A





EKPK90

Curved glass island extractor with edge lighting EKPK90BL

Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filters
- 4 x 2W LED lights
- 3W of edge lighting
- Timer function

Optional Accessories

- Ducting kits: 120mm, AED510/560, 150mm, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)


Available in

Black

Energy efficiency rating D

Technical specification

Required height over gas hob: **700mm (min)** Required height over electric hob: **600mm (min)** Noise level: **61dBA** Extraction rate: **387m³/h,** Outlet diameter: **120mm/150mm** Rated electrical power: **111W** Power supply required: **3A**





ECN62

Flat glass extractor ECN62SS/BL 60cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 2 x 2W LED lights

Optional Accessories

- Ducting kit, 120mm, AED510/560
- Charcoal filter for re-circulation, CHA12 (pack of 1)


Available in

Stainless steel or black

Energy efficiency rating D

Technical specification

Required height over gas hob: **700mm (min)** Required height over electric hob: **600mm (min)** Noise level: **60dBA** Extraction rate: **391m³/h** Outlet diameter: **120mm** Rated electrical power: **104W** Power supply required: **3A**





EVP62/92

Α

Linear extractor EVP62SS 60cm wide, EVP92SS 90cm wide

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filters
- LED lights
- 15 minute timer

Optional Accessories

- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA40 (pack of 1)


Available in

Stainless steel

Energy efficiency rating A

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 600mm (min) Noise level: 67dBA Extraction rate: 667m³/h Outlet diameter: 150mm Rated electrical power: 304W Power supply required: 3A





Fitting Notes

Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.

Α

Black

ENP90

Gesture island extractor

Features

- Touch-free gesture control
- Ducted/re-circulating installation
- 3 speeds + intensive
- Hoodconnect
- Remote control
- Adjustable lighting
- Timer LED Lighting
- Aluminium grease filter

Optional Accessories

• Charcoal filter for re-circulation, CHA27 (Pack of 1)


Available in

Black

Energy efficiency rating ${\boldsymbol{A}}$

Technical specification

Required height over gas hob: **650mm (min)** Required height over electric hob: **450mm (min)** Noise level: **67dBA** Extraction rate: **660m³/h** Outlet diameter: **150mm** Rated electrical power: **225W** Power supply required: **3A**





Black

EVA60/70/90

Angled extractor EVA60BL 60cm wide, EVA70BL 70cm wide, EVA90BL 90cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filters
- 2 x 2W LED lights
- Twin fan motor
- 15 minute timer

Optional Accessories

- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA15 (pack of 1)

Available in

Black

Energy efficiency rating B

Technical specification

Required height over gas hob: 550mm (min) Required height over electric hob: 550mm (min) Noise level: 64dBA Extraction rate: 350m³/h Outlet diameter: 120mm Rated electrical power: 114W Power supply required: 3A





ENT60



EXG60/70/90

A

Gesture control angled extractor EXG60BL 60cm wide, EXG70BL 70cm wide, EXG90BL 90cm wide

Features

Black

- · Touch-free gesture control
- · Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- · LED strip light
- 15 minute timer

Optional Accessories

- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA37 (pack of 2)

Available in

Black

Energy efficiency rating A

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 450mm (min) Noise level: 68dBA Extraction rate: EXG60/70 - 619m³/h, EXG90 - 611m³/h Outlet diameter: 150mm Rated electrical power: EXG60/70 - 308W, EXG90 - 312W Power supply required: 3A





Angled HoodConnect extractor

Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Hoodconnect
- Adjustable light temperature
- Timer
- LED lighting
- Presence detection

Optional Accessories

Charcoal filter for re-circulation, CHA42 (Pack of 2)

Available in Black

Energy efficiency rating A+++

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 450mm (min) Noise level: 66dBA Extraction rate: 730m³/h Outlet diameter: 150mm Rated electrical power: 164W Power supply required: 3A



Fitting Notes

Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



Black



EGA60

Gesture control extractor

Features

- Touch-free gesture control
- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- Timer

Optional Accessories

- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA42 (Pack of 2)

Available in

Black

Energy efficiency rating A

Technical specification

Required height over gas hob: 650mm (min) Required height over electric hob: 450mm (min) Noise level: 68dBA Extraction rate: 695m³/h Outlet diameter: 150mm Rated electrical power: 268W Power supply required: 3A





Stainless steel

EVX90

Ceiling extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- Remote control
- Aluminium grease filter
- 4 x 2W LED lights
- 15 minute timer
- External motor included

Optional Accessories

- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)

Available in

Stainless steel


Energy efficiency rating B

Technical specification

Required height over gas hob: **750mm (min)** Required height over electric hob: **750mm (min)** Noise level: **69dBA** Extraction eate: **650m³/h** Outlet diameter: **150mm** Rated electrical power: **178W** Power supply required: **3A**

Fitting Notes

Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





Black

EDD62/92

Downdraft extractor EDD62BL 60cm wide, EDD92BL 90cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filters
- 15 minute timer
- Synchronised sliding system
- Glass control panel
- Motor included

Optional Accessories

- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)


Available in


Black

Energy efficiency rating B

Technical specification

Noise level: EDD62 - 67dBA, EDD92 - 69dBA Extraction rate: EDD62 - 566m³/h, EDD92 - 520m³/h Outlet diameter: 150mm Rated electrical power: 186W





Refrigeration

The perfect place to store an assortment of ingredients, kept fresh and tasty thanks to the cooling technology and features within our range. Whether it is total frost-free or maximum storage you are looking for, CDA have options to suit your lifestyle.





CRI521

Integrated under counter larder fridge

Features


- Mechanical control panel
- LED interior light
- 3 glass shelves
- 1 salad crisper drawer
- 2 in-door balconies
- Height adjustable feet
- Reversible door
- Fixed hinges

Available in White

Energy efficiency rating E

Technical specification

Total useable capacity: 134L net Noise level: 39dBA Noise emission class: **C** Energy consumption per annum: **93kWh**







FW254

Under counter fridge with freezer box

Features

- Mechanical control panel
- Height adjustable feet

Fridge features

- LED interior light
- 2 glass shelves
- 2 salad crisper drawers
- 2 in-door balconies

Ice box features


- 4 star rating
- 1 ice cube tray

Available in White

Energy efficiency rating E

Technical specification

Total useable capacity: 111L net Noise level: 38dBA Noise emission class: C Energy consumption per annum: **147kWh**







CRI551

Integrated under counter fridge with ice box

Features

- Mechanical control panel
- Height adjustable feet
- 2 glass shelves
- 1 salad crisper drawer

Ice box features

- 4 star rating
- 1 ice cube tray
- Freezer useable capacity: 17L net

• Fridge useable capacity:

 Freezing capacity: 2.6kg/24h

Reversible door

• 2 in-door balconies

Fixed hinges

1 egg tray


97L net

Available in White

Energy efficiency rating E

Technical specification

Total useable capacity: 114L net Noise level: 39dBA Noise emission class: C Energy consumption per annum: 149kWh



- Adjustable shelving • Fridge useable capacity: 95L net

Reversible door

Fixed hinges

1 egg tray

- Freezer useable capacity: 16L net
- Freezing capacity: 2.6kg/24h

72 CDA Kitchen Brochure 2024



Fridge features LED Interior light







Integrated under counter freezer

Features

- Mechanical control panel
- 3 storage drawers
- 1 ice cube tray
- Fixed hinges
- 4 star rating
- Front adjustable feet
- Reversible door
- Freezing capacity: 5kg/24h


Available in

White

Energy efficiency rating E

Technical specification

Total useable capacity: 96L net Noise level: 39dBA Noise emission class: C Energy consumption per annum: **177kWh**







FW422

Integrated in-column larder fridge

Features


- Electronic control panel
- LED interior light
- 4 glass shelves
- 1 salad crisper drawer
- 3 in-door balconies
- 1 egg tray
- Adjustable shelving
- Height adjustable feet
- Reversible door
- Sliding hinges

Available in White

Energy efficiency rating ${\ensuremath{\mathbb E}}$

Technical specification

Total useable capacity: **126L net** Noise level: **35dBA** Noise emission class: **B** Energy consumption per annum: **91kWh**









FW482

Integrated in-column freezer

Features

- Mechanical control panel
- 4 star rating
- 4 storage compartments
- 1 ice cube tray
- Height adjustable feet
- Reversible door
- Sliding hinges
- Freezing capacity: 6kg/24h


Available in

White

Energy efficiency rating E

Technical specification

Total useable capacity: **94L net** Noise level: **38dBA** Noise emission class: **C** Energy consumption per annum: **176kWh**







FW522

Integrated three-quarter height larder fridge

Features

- Electronic control panel
- LED interior light
- 4 glass shelves
- 1 salad crisper drawer
- 3 in-door balconies
- 1 egg tray
- Height adjustable feet
- Reversible door
- Fixed hinges


Available in

White

Energy efficiency rating E

Technical specification

Total useable capacity: **197L net** Noise level: **38dBA** Noise emission class: **C** Energy consumption per annum: **100kWh**



🖒 = airflow







Integrated three-quarter height freezer

Features

- Electronic control panel
- 4 star rating
- 5 storage compartments
- 1 ice cube tray
- Fast freeze
- Temperature warning light
- Height adjustable feet
- Reversible door
- Fixed hinges
- Freezing capacity: 6kg/24h


Available in

White

Energy efficiency rating E

Technical specification

Total useable capacity: **127L net** Noise level: **39dBA** Noise emission class: **C** Energy consumption per annum: **186kWh**







CRI621

Integrated full height larder fridge

Features

- Electronic control panel
- LED Interior light
- 5 glass shelves
- 2 salad crisper drawers
- 5 in-door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Airflow
- Height adjustable feet
- Reversible door
- Sliding hinges


Available in

White

Energy efficiency rating E

Technical specification

Total useable capacity: 294L net Noise level: 39dBA Noise emission class: **C** Energy consumption per annum: 112kWh









CRI681

Integrated full height frost free freezer

Features

- Electronic control panel
- LED interior light
- 8 storage compartments
- Fast freeze
- 1 ice cube tray
- Height adjustable feet
- Reversible door
- Sliding hinges
- 4 star rating
- Fast freeze/super freeze function
- Frost free
- Freezing capacity: 11.5kg/24h


Available in

White

Energy efficiency rating E

Technical specification

Total useable capacity: 196L net Noise level: 40dBA Noise emission class: C Energy consumption per annum: 231kWh







CRI751

Integrated 50/50 combination fridge freezer

Features

- Mechanical control panel
 - Sliding hinges

- 1 salad crisper drawer with humidity slider
- 3 in-door balconies

Freezer features

- · Low frost
- 3 storage compartments
- +1 sliding tray
- 1 ice cube tray

Energy efficiency rating E

Technical specification

Total useable capacity: 244L net Noise level: 38dBA Noise emission class: C Energy consumption per annum: 224kWh

770-1790 = airflow



96L net

4.6kg/24h

Reversible doors

· Chrome wine/bottle shelf

· Super freeze switch

Freezing capacity:

• Freezer useable capacity:

148L net

- 4 star rating

Available in White











CRI771

Integrated 70/30 combination fridge freezer

Features

- Mechanical control panel
- Height adjustable feet

Fridge features

- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 4 in-door balconies

Freezer features

- 4 star rating
- Low frost
- 2 storage compartments +1 sliding tray
- 1 ice cube tray


Available in

White

Energy efficiency rating E

Technical specification Total useable capacity: 251L net Noise level: 38dBA Noise emission class: C Energy consumption per annum: 217kWh

- Reversible doors
- Sliding hinges
- · Chrome wine/bottle shelf
- 1 egg tray
- Fridge useable capacity: 181L net
- Super freeze switch
- Freezer useable capacity: 70L net
- Freezing capacity: 3.3kg/24h







CRI851

Integrated 50/50 combination fridge freezer

Features

- Electronic control panel
- · Height adjustable feet

Fridge features

- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 3 in-door balconies
- · Chrome wine/bottle shelf

Freezer features


- 4 star rating
- Frost free
- 3 storage compartments +1 flap
- 1 ice cube tray

Available in White

Energy efficiency rating E

Technical specification









FROST FREE

CRI871

Integrated 70/30 combination fridge freezer

Features

- Electronic control panel
- Height adjustable feet

Fridge features

- LED Interior light
- 4 glass shelves

humidity slider

- Eco mode • 1 salad crisper drawer with
- Fridge useable capacity: • 4 in-door balconies 179L net
- · Chrome wine/bottle shelf
- 1 egg tray

Freezer features

- 4 star rating
- Frost free
- 2 storage compartments +1 flap
- 1 ice cube tray

Available in

White

Energy efficiency rating E

Technical specification Total useable capacity: 242L net Noise level: 41dBA Noise emission class: C Energy consumption per annum: 218kWh

Super freeze/fast freeze • Freezer useable capacity:

63L net · Freezing capacity:

Reversible doors

Super cool function

Holiday function

· Sliding hinges

3.3kg/24h

70-1790

🖒 = airflow





CRI951

Integrated 50/50 combination fridge freezer

Features

ξE

- Electronic control panel

Fridge features

- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 3 in-door balconies · Chrome wine/bottle shelf

Freezer features

- 4 star rating
- Frost free


Available in

White

Energy efficiency rating E

Technical specification

Total useable capacity: 229L net Noise level: 41dBA Noise emission class: C Energy consumption per annum: 232kWh



• Freezer useable capacity:

FROST FREE

ANK H







Reversible doors

Fixed hinges





145L net

Super freeze/fast freeze

84L net

5kg/24h

• Freezing capacity:

- 3 storage compartments
- +1 flap
- 1 ice cube tray

- · Freezer useable capacity:

ANK A

FROST FREE

 Freezing capacity: 3.9kg/24h

Reversible doors

Sliding hinges

Holiday function

• Fridge useable capacity:

Super freeze/fast freeze

1 egg tray

Eco mode

145L net

Air flow

84L net





CRI971

Integrated 70/30 combination fridge freezer

Features

- Electronic control panel
- Height adjustable feet

Fridge features

- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 4 in-door balconies
- · Chrome wine/bottle shelf
- 1 egg tray

Freezer features

- 4 star rating
- Frost free
- 2 storage compartments +1flap
- 1 ice cube tray

Available in

White


Energy efficiency rating E

Technical specification Total useable capacity: 242L net Noise level: 41dBA Noise emission class: C Energy consumption per annum: 218kWh

Reversible doors

FROST FREE

- Fixed hinges
- Super cool function
- Holiday function
- Eco mode
- Temperature rise signal
- · Fridge useable capacity: 1791 net
- Super freeze/fast freeze
- Freezer useable capacity: 63L net
- Freezing capacity: 3.3kg/24h





Freestanding refrigeration





FF821

Freestanding full height larder fridge

Features

- Electronic control with LED display
- Temperature rise signal
- LED interior lighting
- 5 adjustable glass shelves
- 2 salad crisper drawers
- 5 in-door balconies
- Super cooling
- Front adjustable feet
- Reversible door

Available in Stainless steel effect

Energy efficiency rating E

Technical specification

Total useable capacity: **389L net** Noise level: **40dBA** Noise emission class: **C** Energy consumption per annum: **121kWh**







FF881

Freestanding full height frost free freezer

Features

- Electronic control with LED display
- Temperature rise signal
- LED interior lighting
- 4 star rating
- Fast freeze
- 7 storage compartments
- 1 ice cube tray
- Frost free
- Front adjustable feet
- Reversible door
- Freezing capacity: 13kg/24h

Available in

Stainless steel effect

Energy efficiency rating E

Technical specification

Total useable capacity: **279L net** Noise level: **41dBA** Noise emission class: **C** Energy consumption per annum: **249kWh**



Refrigeration comparison chart

To help choose the right product for you, please refer to the comparison chart below.

Model	FS/BI	Туре	Height (cm)	Width (cm)	Depth (cm)	Total Capacity	Reversible Door	Hinges	No of Shelves	Fridge Capacity	Control Panel	Salad Crisper	Humidity Slider	Super Cool	Wine Rack	Egg Tray	Freezer Capacity	Frost Free	Fast Freeze	Star Rating	lce Cube Tray	Energy Rating	Noise Emission
FW254	BI	Undercounter fridge with ice box	81.8-87	59.6	55	111L	\checkmark	Fixed	2	95L	Mechanical	2				\checkmark	16L			4	\checkmark	E	С
FW422	BI	In-column fridge	87.5	54	54.5	126L	\checkmark	Sliding	4	126L	Electronic	1				\checkmark						E	В
FW482	BI	In-column freezer	87.5	54	54.5	94L	\checkmark	Sliding			Mechanical						94L			4	\checkmark	Е	С
FW522	BI	Three quarter height fridge	122	54	54	197L	\checkmark	Fixed	4	197L	Electronic	1				\checkmark						E	С
FW582	BI	Three quarter height freezer	122	54	54	127L	\checkmark	Fixed			Electronic						127L		\checkmark	4	\checkmark	E	С
CRI521	BI	Undercounter fridge	81.2- 88.2	59.5	54.8	134L	\checkmark	Fixed	3	134L	Mechanical	1										E	С
CRI551	BI	Undercounter fridge with ice box	81.2- 88.2	59.5	54.8	114L	\checkmark	Fixed	2	97L	Mechanical	1				\checkmark	17L			4	\checkmark	E	С
CRI581	BI	Undercounter freezer	81.2- 88.2	59.5	54.8	96L	\checkmark	Fixed			Mechanical						96L			4	\checkmark	E	С
CRI621	BI	Full height fridge	177	54.5	54	294L	\checkmark	Sliding	5	294L	Electronic	2		\checkmark	\checkmark	\checkmark						E	С
CRI681	BI	Full height freezer	177	54.5	54	196L	\checkmark	Sliding			Electronic						196L	\checkmark	\checkmark	4	\checkmark	E	С
CRI751	BI	50/50 fridge freezer	177	54	54.5	244L	\checkmark	Sliding	4	148L	Mechanical	1	\checkmark		\checkmark	\checkmark	96L		\checkmark	4	\checkmark	E	С
CRI851	BI	50/50 fridge freezer	177	54	54.5	229L	\checkmark	Sliding	4	145L	Electronic	1	\checkmark	\checkmark	\checkmark	\checkmark	84L	\checkmark	\checkmark	4	\checkmark	E	С
CRI951	BI	50/50 fridge freezer	177	54	54.5	229L	\checkmark	Fixed	4	145L	Electronic	1	\checkmark	\checkmark	\checkmark	\checkmark	84L	\checkmark	\checkmark	4	\checkmark	E	С
CRI771	BI	70/30 fridge freezer	177	54	54.5	251L	\checkmark	Sliding	4	181L	Mechanical	1	\checkmark		\checkmark	\checkmark	70L		\checkmark	4	\checkmark	Е	С
CRI871	BI	70/30 fridge freezer	177	54	54.5	242L	\checkmark	Sliding	4	179L	Electronic	1	\checkmark	\checkmark	\checkmark	\checkmark	63L	\checkmark	\checkmark	4	\checkmark	E	С
CRI971	BI	70/30 fridge freezer	177	54	54.5	242L	\checkmark	Fixed	4	179L	Electronic	1	\checkmark	\checkmark	\checkmark	\checkmark	63L	\checkmark	\checkmark	4	\checkmark	Е	С
FF821	FS	Full height fridge	186	59.5	65	389L	\checkmark		4	389L	Electronic	2		\checkmark	\checkmark	\checkmark						E	С
FF881	FS	Full height freezer	186	59.5	65	279L	\checkmark				Electronic						279L	\checkmark	\checkmark	4	\checkmark	E	С

Retro refrigeration and cooling

Your kitchen is the heart of your home, it's a creative space, an entertaining space and one where memories are made. Your kitchen is where everyone comes together to enjoy some of the greatest pleasures in life - cooking and conversation, eating and entertaining. As such, your kitchen is a piece of you.

The design of your kitchen speaks volumes about your personality and we don't believe that you should be restricted by the "standard" look of an appliance.

Enter Florence.

CDA's retro refrigerator brings together a timeless classic look with modern functionality in a freestanding unit that creates a real statement in your kitchen. With 4 dreamy colourways to suit a wide range of kitchen designs, 50's design logo and chrome accents in a 60/40 split format.

Of course, Florence has more than just good looks, bringing vintage into the modern era with high performing technical specification to keep what's inside as classically fresh as the outside.

Keeping things cool.

Nancy is a clean and sleek handle-less drinks cooler with a retro meet the Jetsons vibe, freestanding with metallic finished legs to fit perfectly into any surrounding whether home office, games room or bedroom.

This beautiful upright design is available in 3 colourway options (Cotton, Tea Rose and Dark Skies) and brings vintage into the modern era with high performing technical specifications that keep both the inside and outside, refreshingly chilled. The electronic control panel allows you to easily change the temperature from 5 to 20°C, so whether it is wine, beer, energy drinks or even beauty products, you control how cool these are kept.

Within its old-school look Nancy also features some neat modern tech with a wireless phone charger on the top of the cooler.



1154



Florence

Retro 60cm freestanding frost free 60/40 fridge freezer

Fridge features

- Electronic control
- LED interior light
- 4 glass shelves
- 4 in-door balconies
- 1 salad crisper drawer
- 1 egg tray
- Chrome wine/bottle shelf
- Inverter compressor

Freezer features

- 4 star rating
- 3 storage compartments
- 1 ice cube tray
- Total no frost
- Freezer useable capacity: 96L net
- Freezing capacity: 6kg/24h

Energy consumption

Energy efficiency rating D

Technical specification

Noise emission class: **C**

Right hand hinged door

Noise level: 41dBA

Please note

Energy consumption per annum: 196kWh



1018





Nancy is available in the following colours:



Tea Rose



Cotton

with chrome trim

with chrome trim

Florence is available in the following colours:





with gold trim





Barley

with chrome trim



with chrome trim



with chrome trim

86 CDA Kitchen Brochure 2024

Nancy

Retro freestanding lifestyle cooler

Features

- White LED display with electronic control
- Stores 13 bottles (75cl Bordeaux) and up to 8 cans
- Electronic control panel with white LED display
- LED lighting
- Single temperature storage
- 1 drawer compartment
- 4 metal shelves and 2 glass shelves
- Wireless phone charger

Energy consumption

Energy consumption per annum: 132kWh


Energy efficiency rating G

Technical specification

Total useable capacity: 48L net Noise level: 39dBA Noise emission class: C Temperature range: 5º to 20°C

Please note

Right hand hinged door



















Wine coolers

Designed with features that make a difference to you, our award-winning wine coolers use anti-vibration technology, UV protection and temperature control to keep your finest stored at its very best for that perfect meal or special moment.

Freestanding wine coolers



Stainless steel



FWC153

Freestanding/under counter slimline wine cooler

Features

- Black plinth
- White LED display
- Single temperature storage zone
- 6 integrated supports Electronic temperature
- control UV-protective toughened
- smoked glass door


Available in: Stainless steel

Energy consumption Energy consumption per annum: 145kWh

Energy efficiency rating G

Technical specification

Noise emission class: **C** Power supply required: 13A Noise level: 40dBA Single temp: 5°C to 20°C Total storage: 7 (75cl Bordeaux) bottles Compressor driven







Stainless steel





FWC304

Freestanding/under counter slimline wine cooler FWC304SS, FWC304BL

Features

- Black plinth
- White LED display
- Single temperature storage zone
- shelves including
- Electronic temperature control
- UV-protective toughened smoked glass door

Available in: Stainless steel or black


Energy consumption

Energy consumption per annum: **136kWh**

Energy efficiency rating G

Technical specification

Noise emission class: C Power supply required: 13A Noise level: 40dBA Single temp: 5°C to 20°C Total storage: 20 (75cl Bordeaux) bottles Compressor driven







Stainless steel

Black

LED interior lighting

Height adjustable

plinth section

Integral heater

Door open alarm

· Reversible door

function

Temperature memory

• Over temperature alarm

• Humidifier to maintain

50-80% relative humidity



FWC604

Freestanding/under counter wine cooler FWC604SS, FWC604BL

Features

- Black plinth
- White LED display Dual temperature
- storage zones 5 wooden slide-out shelves including 1 flexi shelf
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door

Available in: Stainless steel or black

Energy consumption


Energy consumption per annum: **144kWh**

Energy efficiency rating G

Technical specification

Noise emission class: C Power supply required: 13A Noise level: 40dBA Upper/left temp: 5°C to 20°C Lower/right temp: 5°C to 20°C Upper/left storage: 15 (75cl Bordeaux) bottles Lower/right storage:

30 (75cl Bordeaux) bottles Total bottle storage: 45 (75cl Bordeaux) bottles Compressor driven



92 CDA Kitchen Brochure 2024

Temperature memory function Over temperature alarm

- Height adjustable plinth section
- Reversible door

• Triple glazed door

LED interior lighting

- Door open alarm
- 5 wooden slide-out 2 flexi shelves
- Humidifier to maintain 50-80% relative humidity

• Door open alarm Reversible door

• Double glazed door

LED interior lighting

Height adjustable

plinth section

function

Temperature memory

Over temperature alarm



Stainless steel



Black



FWC624

Freestanding/under counter double door wine cooler FWC624SS, FWC624BL

Features

- Black plinth
- White LED display
- Dual temperature storage zones
- 11 wooden slide-out shelves including 3 flexi shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door

- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- Humidifier to maintain 50-80% relative humidity
- Door open alarm
- Reversible door

Available in: Stainless steel or black


Energy consumption

Energy consumption per annum: 143kWh

Energy efficiency rating G

Technical specification

Noise emission class: **D** Power supply required: 13A Noise level: 42dBA Upper/left temp: 5°C to 20°C Lower/right temp: 5°C to 20°C Upper/left storage: 20 (75cl Bordeaux) bottles Lower/right storage: 20 (75cl Bordeaux) bottles Total bottle storage: 40 (75cl Bordeaux) bottles Compressor driven



Freestanding wine coolers



```
Flexi-shelving to
accommodate
different wine
bottle sizes
```

LED interior lighting

• Energy saving mode

• Door open alarm

function

Temperature memory

• Over temperature alarm

Humidifier in upper zone

to maintain 50-80%

relative humidity

Integral heater

Reversible door

Black



FWC881

Full height freestanding wine cooler

Features

- Black plinth
- White LED display
- Dual temperature storage zones
- 14 wooden slide-out shelves including 3 flexi shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door

Available in: Black

Energy consumption


Energy consumption per annum: **170kWh**

Energy efficiency rating G


Technical specification

Noise emission class: C Power supply required: 13A Noise level: 41dBA Upper/left temp: 5°C to 20°C Lower/right temp: 5°C to 20°C Upper/left storage: 55 (75cl Bordeaux) bottles Lower/right storage:

62 (75cl Bordeaux) bottles Total bottle storage: 117 (75cl Bordeaux) bottles Compressor driven



Integrated wine coolers





î G

FWV452


Integrated compact wine cooler

Features

- White LED display Single temperature
- storage zone · 3 wooden slide-out
- shelves including 1 flexi shelf
- control
- smoked glass door

Available in: Black

Energy consumption





Black



FWV601

Integrated wine cooler

Features

- White LED display • Single temperature storage zone
- 4 wooden slide-out shelves including 1 flexi shelf
- Electronic temperature control
- · UV-protective toughened smoked glass door
- Triple glazed door

Available in: Black


Energy consumption

Energy consumption per annum: 142kWh

Energy efficiency rating G

Technical specification

Noise emission class: C Power supply required: 13A Noise level: 39dBA Single temp: 5°C to 20°C Total bottle storage: 44 (75cl Bordeaux) bottles Compressor driven



LED interior lighting

Door open alarm

· Reversible door

• Energy saving mode

Display light function

• Humidifier to maintain

50-80% relative humidity

function

Temperature memory

Over temperature alarm


- Temperature memory function Over temperature alarm
- Door open alarm
- Electronic temperature
- · UV-protective toughened
- Triple glazed door

Energy consumption per annum: 139kWh

Energy efficiency rating G

Technical specification

Noise emission class: C Power supply required: 13A Noise level: 39dBA Single temp: 5°C to 20°C Total bottle storage: 28 (75cl Bordeaux) bottles Compressor driven





- Height adjustable feet

· Energy saving mode

- · Display light function 50-80% relative humidity
 - · Reversible door

LED interior lighting

• Humidifier to maintain



Black



FWV902

Integrated wine cooler

Features

- White LED display
- Dual temperature storage zones
- 5 wooden slide-out shelves and 1 wooden display shelf including 2 flexi shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door

Available in: Black

Energy consumption

Energy consumption per annum: **148kWh**

Energy efficiency rating G

Technical specification

Noise emission class: C Power supply required: 13A Noise level: 40dBA Upper/left temp: 5°C to 20°C Lower/right temp: 5°C to 20°C Upper/left storage: 23 (75cl Bordeaux) bottles Lower/right storage *36 (75cl Bordeaux) bottles Total bottle storage: **59 (75cl Bordeaux) bottles Compressor driven

*or 30 when using display shelf **or 52 when using display shelf ⊂ = airflow

- Over temperature alarm
- Door open alarm

function

• Energy saving mode

LED interior lighting

Temperature memory

- Display light function
- Humidifier to maintain 50-80% relative humidity
- Reversible door



Dishwashers

An essential appliance which really earns its keep, whether full size at 60cm wide or slimline at just 45cm wide, a dishwasher has the potential to transform your kitchen and enhance your daily routine. Often overlooked for its energy-efficient capabilities and water-saving features, a dishwasher has the power to lower your utility bills while freeing up more time for you.

Dishwashers







CDI6132

60cm integrated dishwasher

Half load

Quick

Prewash

White LED indicators

• Hygiene programme

Antibacterial filter

• Adjustable feet

Features

- 13 place settings
- 5 programmes
- Delay timer
- Sliding door hinges
- LED Info dot feature

5 programmes

- Eco
- Hygiene pro
- Super


Energy consumption

Energy consumption per 100 cycles: 94kWh Eco programme water consumption: 9L

Energy efficiency rating E

Technical specification

Rated electrical power: 1.9kw Power cord length: 165cm Noise level: 49dBA Noise class: C





CDI6242

60cm integrated dishwasher

Features

- 15 place settings
- 7 programmes
- Sliding door hinges
- LED Info dot feature
- Turbo drying
- White LED indicators

7 programmes

- Eco
- Intensive
- Hygiene pro
- 50 minute wash


Energy consumption

Energy consumption per 100 cycles: 97kWh Eco programme water consumption: 9L

Energy efficiency rating E

Technical specification

Rated electrical power: 1.9kw Power cord length: 165cm Noise level: 45dBA Noise class: C







CDI6372

60cm integrated dishwasher

Features

- 15 place settings
- 8 programmes
- Sliding door hinges
- LED Info dot feature
- BLDC motor
- Direct wash
- Triple wash

8 programmes

- Eco
- Smart
- Steam wash
- Hygiene pro


Energy consumption

Energy consumption per 100 cycles: 86kWh Eco programme water consumption: 9L

Energy efficiency rating D

Technical specification

Rated electrical power: 1.9kw Power cord length: 165cm Noise level: 44dBA Noise class: **B**



Delay timer

Steam wash

• 3 spray levels

Half load

Dual pro

Quick

Rapid

White LED indicators

Antibacterial filter

50 minute wash



• Delay timer

Antibacterial filter

Adjustable feet

• Hygiene programme

- Delicate



- Quick Prewash





CDI4320

45cm slimline integrated dishwasher

Features

- 10 place settings
- 6 programmes
- Delay timer
- Sliding door hinges
- LED Info dot feature

6 programmes

- Eco
- Intensive
- Hygiene pro


- Half load
- White LED indicators
- Antibacterial filter
- Hygiene programme
- Adjustable feet
- Super
- Quick
- Prewash

Energy consumption

Energy consumption per 100 cycles: **76kWh** Eco programme water consumption: 9L

Energy efficiency rating E

Technical specification Rated electrical power: 1.9kw Power cord length: 165cm Noise level: 47dBA Noise class: C



Dishwashers





CDI4420

45cm slimline integrated dishwasher

Features

- 10 place settings
- 7 programmes
- Delay timer
- Sliding door hinges
- LED Info dot feature
- Half load
- White LED indicators

7 programmes

EcoAuto

• Delicate

Antibacterial filter

Adjustable feet

Aquazone

3 baskets

Turbo dry

• Hygiene programme

- QuickPrewash
- Hygiene pro
- Super


Energy consumption

Energy consumption per 100 cycles: **76kWh** Eco programme water consumption: **9L**

Energy efficiency rating E

Technical specification

Rated electrical power: **1.9kw** Power cord length: **165cm** Noise level: **45dBA** Noise class: **C**




Dishwasher comparison chart

To help choose the right product for you, please refer to the comparison chart below.

Model	Width (cm)	Place Settings	Programmes	Baskets	LED Info Dot Feature	Delay Timer	Half Load	Anti-bacterial Filter	Delicate Wash	Turbo Drying
CDI6132	60cm	13	5	2	\checkmark	\checkmark	\checkmark	\checkmark		
CDI6242	60cm	15	7	3	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
CDI6372	60cm	15	8	3	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark
CDI4320	45cm	10	6	2	\checkmark	\checkmark	\checkmark	\checkmark		
CDI4420	45cm	10	7	3	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark





Laundry

Making light work of dirty clothes, our washing machines are equipped with the latest programmes and features for efficient use of water and energy. Not to mention the fresh feeling both inside and outside after an easy quick wash cycle.

Integrated washing machines



White



CI361

Integrated washing machine

Wool wash

Hand wash

White LED display

Extra rinse function

of programme

Anti-allergy function

Acoustic signal for end

Safety key lock

Features

- 1200rpm spin speed
- 16 programmes
- 6kg wash load
- Delay timer
- Variable spin speed
- Variable wash temperature
- Quick wash

Available in White


Energy consumption

Energy consumption per 100 cycles: 69kWh Water consumption per weighted cycle: 43L

Energy efficiency rating E

Technical specification

Noise emission class: **B** Power supply required: 13A Noise level: 75dBA Spin class: C









CI327


Integrated washing machine

Features

- 1400rpm spin speed
- 16 programmes
- 7kg wash load
- White LED display
- Delay timer

Energy consumption per 100 cycles: 44kWh Water consumption per weighted cycle: 45L

Technical specification Noise emission class: A Power supply required: 13A Noise level: 72dBA







White

CI381

Integrated washing machine

Features

- 1400rpm spin speed
- 16 programmes
- 8kg wash load
- Delay timer
- Variable spin speed Variable wash
- temperature
- 15 minute guick wash
- Delicates wash
- Wool wash

Available in


White

Energy consumption

Energy consumption per 100 cycles: 47kWh Water consumption per weighted cycle: 48L

Energy efficiency rating A

Technical specification Noise emission class: A Power supply required: 13A Noise level: 72dBA Spin class: B



White LED display

MyChoice custom

Extra rinse function

of programme

Brushless motor

Acoustic signal for end

Safety key lock

programme

• Sport wash

106 CDA Kitchen Brochure 2024

White

Energy consumption

Energy efficiency rating A

Spin class: B

- · Overflow protection
- Foam control
- Brushless motor
- Child lock
- Acoustic signal for end

Available in

Variable spin speed

of programme

Integrated washer dryer



White



CI981

Integrated washer dryer

Features

- 1400rpm spin speed
- 16 programmes
- 8kg wash load
- 6kg dry load
- Delay timer
- Variable spin speed
- Variable wash temperature
- 15 minute quick wash
- Delicates setting

- MyChoice custom programme
- White LED display
- Extra rinse function
- Acoustic signal for end of programme
- · Condensing dryer
- Safety key lock
- Balance control
- Over-flow protection

Available in

White

Energy consumption


Energy consumption per 100 cycles: 55kWh Water consumption per weighted cycle: 48L Water consumption per weighted cycle washing and drying: 90L Energy consumption per weighted cycle washing and drying: 360kwh

Energy efficiency rating

Energy rating (washing only): B Energy rating (washing and drying): E

Technical specification

Noise emission class: **B** Power supply required: 13A Noise level: 76dBA Spin class: B





Sinks & taps

Unsung heroes in your kitchen, your sink and tap see a lot of action. Our range of mix and match sinks and taps offer versatility and style with lasting durability. Whether you prefer an inset or under mount sink in stainless steel, composite or ceramic teamed with a simple lever tap or something more sophisticated such as a filter tap, CDA's range has something to complement every kitchen.



Stainless steel

KA21

Single bowl sink

Features

- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



Stainless steel

KA55

Single bowl sink with mini drainer Inset

Features

- Polished finish
- Reversible
- Noise deadening pads
- Easy fixing system
- Fits in 450mm base unit

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



Stainless steel

KC200

Single bowl sink

Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories


- Space saver plumbing pack: PP1
- Waste disposer: AKD01/AKD02

Available in

Stainless steel









Stainless steel

KA22

One and a half bowl sink Inset/undermount

Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack


Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

Stainless steel





Stainless steel

KC300

Single bowl sink Inset

Features

- Polished finish
- Reversible
- Noise deadening pads
- Easy fixing system
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



Stainless steel

KA52

One and a half bowl sink Inset

Features

- Polished finish
- Reversible
- Easy fixing system
- Noise deadening pads
- Fits in 600mm base unit

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

Stainless steel



Stainless steel

KR21

Round single bowl sink Inset

Features

- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories


- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel









Stainless steel



Three quarter bowl sink Inset/undermount

Features

- Polished finish
- Noise deadening pads
- Fits in 450mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel





Stainless steel

KCC23

Single bowl sink Inset/undermount

Features

- Polished finish
- Noise deadening pads
- Fits in 500mm base unit

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in

Stainless steel



Stainless steel

KC100 One and a half bowl sink Inset/undermount

Features

- Polished finish
- Reversible
- Noise deadening pads
- Fits in 600mm base unit

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in

Stainless steel



Chrome

TC15



Classic single lever tap


Features


- Single flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Ceramic single lever valve

Accessories

• Supplied with rigid copper tail pipes

Available in Chrome









TC28

Contemporary quarter turn monobloc tap

Features

- Single flow
- Minimum pressure: 0.4Bar
- Ceramic disc 1/4 turn valves
- 360° spout rotation

Accessories

• Supplied with flexible tail pipes

Available in

Chrome





Chrome

TC55



Monobloc tap with swan neck spout

Features

- Dual flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Ceramic disc 1/4 turn valves

Accessories

• Supplied with rigid copper tail pipes

Available in

Chrome





TC100

Single lever tap with swan neck spout

Features

- Single flow
- Minimum pressure: 0.5Bar
- Ceramic single lever valve

Accessories

Supplied with flexible tail pipes

Available in

Chrome



Chrome

TC66

Single lever tap with quad spout


Features


- Single flow
- Minimum pressure: 0.5Bar
- Ceramic single lever valve

Accessories

Supplied with flexible tail pipes

Available in Chrome









Stainless steel

TC31

Single lever tap with swan neck spout


Features

- Single flow
- Minimum pressure 0.5Bar
- Ceramic single lever valve
- 360° spout rotation

Accessories

• Supplied with flexible tail pipes

Available in Stainless steel





Stainless steel

TC61

Single lever tap with quad spout

Features


- Single flow
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Ceramic disc valve

Accessories

• Supplied with flexible tail pipes

Available in

Stainless steel





STR.

Sinks & taps - Traditional collection



White

KC11

Belfast sink Over/undermounted

Features

- Classic design
- Fireclay construction

Features

- Waste kit
- Plumbing pack

Optional accessories

• Space saver plumbing pack, PP1

Available in

White



White

KC12 Belfast double bowl sink Over/undermounted

Features

- Classic design
- Fireclay construction

Features

- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP2

Available in

White



Chrome

TT100

Traditional twin lever tap

Features

- Swan neck
- Minimum pressure: 0.3 Bar
- 360°C spout rotation
- Ceramic disc valve
- Anti splash spout
- Quarter turn handle

Accessories


Supplied with flexible tail pipes

Available in

Chrome









Sinks & taps - Design collection



Stainless steel

KD500

Single bowl sink Inset/undermount

Features

- 1mm heavy gauge stainless steel
- Noise deadening pads
- Easy fixing system
- Fits in a 500mm base unit

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer AKD01/AKD02
- Space saving plumping pack PP1

Available in

Stainless steel



Stainless steel

KD600

Single bowl sink Inset/undermount

Features

- 1mm heavy gauge stainless steel

- Concealed overflow
- Plumbing pack

Optional accessories

Available in

Stainless steel



Stainless steel

KD700

One and a half bowl sink KD700RSS, KD700LSS Inset/undermount

Features

- 1mm heavy gauge stainless steel
- Noise deadening pads
- Easy fixing system
- Fits in a 700mm base unit

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack


Optional accessories

- Waste disposer, AKD01/AKD02
- Space saving plumping pack PP1

Available in

Stainless steel Right hand: KD700RSS Left hand: KD700LSS






- Noise deadening pads
- Easy fixing system
- Fits in a 600mm base unit

Accessories

- Waste kit

- Waste disposer, AKD01/AKD02
- Space saving plumping pack PP1











Matte black



Copper

Gunmetal



Gold



Single bowl sink KCC33BL, KCC33GM, KCC33CU, KCC33GL Inset/undermount

Features

- Stainless steel sink
- PVD finish
- Matching taps available
- Fits in a 500mm base unit

Accessories

Matching waste kit

Optional accessories

• Space saving plumping pack PP1

Available in

Matte black, gunmetal, copper and gold



Sinks & taps - Design collection



0

White

Black

KD100

Single bowl sink KD100BL, KD100WH Inset

Features

- Granite/quartz construction
- Tough and hygienic
- Super smooth finish
- Fits in a 600mm base unit
- Scratch resistant
- Reversible

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack
- Clips for inset included

Optional accessories

- WK200 Colour drainer
- Space saving plumping pack PP1
- Waste disposer, AKD01/AKD02

Available in

Black or white







KD200

One and a half bowl sink KD200BL, KD200WH Inset

Features

- Granite/quartz construction
- Tough and hygienic
- Super smooth finish
- Fits in a 600mm base unit
- Scratch resistant
- Reversible

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack
- Clips for inset included

Optional accessories

- WK300 Colour drainer
- Space saving plumping pack PP2
- Waste disposer, AKD01/AKD02

Available in

Black or white



Black

0

White

KD300

Single bowl sink KD300BL, KD300WH Inset/undermount

Features

- Granite/quartz construction
- Tough and hygienic
- Super smooth finish
- Fits in a 600mm base unit
- Scratch resistant

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack
- · Clips for undermount and inset included

Optional accessories


- WK200 Colour drainer
- Space saving plumping pack PP1
- Waste disposer, AKD01/AKD02

Available in

Black or white









Black

0 0

White

KD400

One and a half bowl sink KD400BL, KD400WH Inset/undermount

Features

- Granite/quartz construction
- Tough and hygienic
- Super smooth finish
- Fits in a 600mm base unit
- Scratch resistant
- Reversible


Accessories

- Concealed overflow
- Waste kit
- Plumbing pack
- Clips for undermount and inset included

Optional accessories

- WK300 Colour drainers
- Space saving plumping pack PP2
- Waste disposer, AKD01/AKD02

Available in Black or white





TCC5

Single lever swan neck tap TCC5BL, TCC5GM, TCC5CU, TCC5GL

Features

- PVD finish
- Minimum pressure: 1 Bar
- 360° spout rotation
- Ceramic disc valve
- Matching undermount/inset sinks available

Accessories

• Supplied with flexible tail pipes

Available in Matte black, gunmetal, copper or gold



TCC7 Twin lever swan neck tap TCC7BL, TCC7GM, TCC7CU, TCC7GL

Features

- PVD finish
- Minimum pressure: 1 Bar
- 360° spout rotation
- Ceramic disc valve
- Matching undermount/inset sinks available

Accessories

• Supplied with flexible tail pipes

Available in

Matte black, gunmetal, copper or gold



TD100

Single lever tap TD100BL, TD100GM, TD100CU, TD100GL

Features


- PVD finish
- Minimum pressure: 1 Bar
- 360° spout rotation
- Ceramic disc valve
- Matching undermount/inset sinks available

Accessories


Supplied with flexible tail pipes

Available in

Matte black, gunmetal, copper or gold







Sinks & taps - Innovation collection



KI100 Kitchen trough

Inset/undermount

Features

- 400mm wide
- Integrated drainer
- Wine trough
- Dish drainer
- Food preparation station

Available in

Stainless steel



Stainless steel

KI200

Inset/undermount

Available in

Stainless steel





TH102

3-in-1 Instant hot water tap

Features

- Non-pressurised tank for increased reliability
- Minimum pressure: 1.5Bar
- 360° spout rotation
- 2L tank
- Filter included
- Rapid 12 minutes initial heat up from cold supply
- Allows several cups of 98°C water to be dispensed
- Easy descaling

Accessories

Supplied with flexible tail pipes


Optional Accessories

- Replacement filter
- Descaling solution


Available in Chrome













Kitchen trough

Features

- 1000mm wide
- Integrated drainer
- Wine trough
- Dish drainer
- Food preparation station





TG7

Gesture Tap TG7BL, TG7GM

Features

- Touch-free gesture control
- LED display
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Pull out spray
- Ceramic disc valve
- AC 220-240V (50Hz)

Accessories

• Supplied with flexible tail pipes

Available in Matte black or gunmetal



Sinks & taps - Innovation collection



TI200

Spray tap

Features

- Swan neck
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Pull out spray
- Ceramic disc valve

Accessories

Supplied with flexible tail pipes

Available in

Chrome





TI300

Spray tap

Features

- Swan neck
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Pull out spray
- Ceramic disc valve


Accessories

Supplied with flexible tail pipes

Available in

Black





Those little bits that just finish off your vision, from colourful waste kits and stylish protective splashbacks to the important pieces hiding behind your sink or extractor that ensures everything works just as it should.

Accessories

Extractor accessories

Ducting

AED510	AED560	AED610	AED660		
Code	Description / Contents				
AED510	125mm x 1m flexible ducting kit White wall outlet, 2 cable ties, 1m flexible hose, fixing kit				
AED560	125mm x 6m flexible ducting kit White wall outlet, 2 cable ties, 6m flexible hose, fixing kit				
AED610	150mm x 1m flexible ducting kit White wall outlet, 2 cable ties, 1m flexible hose, fixing kit				
AED660	150mm x 6m flexible ducting kit White wall outlet, 2 cable ties, 6m flexible hose, fixing kit				

Filters

Code	Contents
CHA12	Charcoal filter (pack of 1)
CHA15	Charcoal filter (pack of 1)
CHA17	Charcoal filter (pack of 2)
CHA21	Charcoal filter (pack of 2)
CHA24	Charcoal filter (pack of 2)

Filters

Code	Contents
CHA25	Charcoal filter (pack of 2)
CHA28	Charcoal filter (pack of 2)
CHA33	Charcoal filter (pack of 2)
CHA34	Charcoal filter (pack of 2)
CHA35	Charcoal filter (pack of 2)
CHA36	Charcoal filter (pack of 1)
CHA37	Charcoal filter (pack of 2)
CHA39	Charcoal filter (pack of 1)
CHA40	Charcoal filter (pack of 1)
CHA41	Charcoal filter (pack of 1)
CHA42	Charcoal filter (pack of 1)
GRE1	Acrylic grease filter
GRE3M	Metal grease filter

Splashback accessories

Splashbacks



Square glass splashback



Square metal splashback





Curved glass splashback

Curved metal splashback

Square glass splashbacks

Black	Grey	Description
ASG6BL	ASG6GR	600W x 750H* square toughened glass splashback
ASG7BL	ASG7GR	700W x 750H* square toughened glass splashback
ASG9BL	ASG9GR	900W x 750H* square toughened glass splashback
ASG10BL	ASG10GR	1000W x 750H* square toughened glass splashback

*Our toughened glass splashbacks are handmade, so dimensions shown may vary by up to 5mm

Square metal splashbacks

Black	Stainless steel	Description
CSB6BL	CSB6SS	600W x 750H square metal splashback
CSB7BL	CSB7SS	700W x 750H square metal splashback
CSB9BL	CSB9SS	900W x 750H square metal splashback
CSB10BL	CSB10SS	1000W x 750H square metal splashback

Curved glass splashbacks

Designed to match the ECP and EKP range of extractors

Black	Grey	Description	Compatible with
ASG62CBL	ASG62CGR	600W x 750H* curved glass splashback	ECP62, EKP60
ASG72CBL	ASG72CGR	700W x 750H* curved glass splashback	ECP72, EKP70
ASG82CBL	ASG82CGR	800W x 750H* curved glass splashback	ECP82
ASG92CBL	ASG92CGR	900W x 750H* curved glass splashback	ECP92
ASG92KBL	ASG92KGR	900W x 750H* curved glass splashback	EKP90
ASG102CBL	ASG102CGR	1000W x 750H* curved glass splashback	ECP102

*Our toughened glass splashbacks are handmade, so dimensions shown may vary by up to 5mm

Curved metal splashbacks

Designed to	Designed to match the ECP and EKP range of extractors					
Black	Stainless steel	Description	Compatible with			
CSB62CBL	CSB62CSS	600W x 750H curved metal splashback	ECP62, EKP60			
CSB72CBL	CSB72CSS	700W x 750H curved metal splashback	ECP72, EKP70			
CSB92CBL	CSB92CSS	900W x 750H curved metal splashback	ECP92			
CSB92KBL	CSB92KSS	900W x 750H curved metal splashback	EKP90			

Sink accessories

Plumbing packs

Code	Contents	Compatible v
PP1	Space-saver plumbing pack	All single bowl sir
PP2	Space-saver plumbing pack	All one-and-a-hal

with

sinks

alf bowl sinks

Tap accessories

Flow rate restrictors

Code	Contents	Compatible with
ATF002	Flow rate restrictors	All taps with rigid copper tail pipes

All taps with flexible tail pipes

ATF003 Flow rate restrictors

WK200BL

WK300BL

COMING

WK200GM

WK300GM



WK200CU

WK300CU

WK200GL



WK300GL

Waste Kits

Code	Description	Compatible with
WK200	Single bowl colour waste kit with matching overflow	KD100 and KD300
WK300	Bowl and a half colour waste kit with matching overflow	KD200 and KD400

Wine cooler accessories

Code	Description	Compatible v
AFG31	Glass shelves (pack of 3)	FWC304, FWC62
AFG61	Glass shelves (pack of 3)	FWC604, FWC88

Plinth heater

Code	Description
APH02SS	Electric 2kW plinth heater

with

624

881





Terms and conditions of guarantee

- Parts are defined as mechanical/electrical parts only.
- Products registered outside of the 30 day period will receive 12 months parts and labour.
- Proof of date of purchase must be supplied.
- To qualify for free parts they must be fitted by a CDA appointed engineer.
- Any attempts to modify or repair an appliance by an unauthorised person will render all guarantees invalid.
- A charge will be made for attending a reported fault that transpires to be due to misuse or mis-installation.
- CDA retains the right to invalidate the guarantee in the event of physical or verbal abuse towards any member of staff.
- CDA guarantees cover domestic use only commercial use is not covered.
- Guarantees in whole or part are not transferable.
- Taps during the first year, at our discretion we may pay for refitting (on receipt of the faulty part/tap, once inspected and deemed faulty) up to a maximum defined cost.
- The provision of services under the guarantee neither extends the term of the guarantee nor sets in motion a new guarantee period. The guarantee period for spare parts fitted ends with the expiry of the guarantee on the appliance as a whole. The guarantee remains effective from the date of purchase.
- On the occasion that a product is over 2 years old and is considered to be beyond repair, or uneconomical to repair, then we will offer a replacement appliance and charge an appropriate monetary offset in respect of the period of use already enjoyed.
- Guarantees apply in the UK and Southern Ireland only.

Normal domestic sale and use	
Rental or service apartment (non-students)	
Students (communal living and non-communal), not new build	
Students (communal living and non-communal), new build	
Students (non-communal), one student per kitchen	
Semi-commercial, e.g. school domestic science lab	

E & O E • ALL DIMENSIONS AND ILLUSTRATIONS ARE PROVIDED FOR GUIDANCE ONLY. CDA RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE. WEEE PRODUCER REGISTRATION NUMBER: WEE/FD0074UR.

What is not covered

- Transport damage for which CDA is not responsible.
- Improper installation and assembly.
- Faults due to accidental damage or misuse.
- Gas leaks not related to a CDA appliance.
- Improper use including where an appliance has been used in a non-domestic environment, or poor maintenance, or failure to observe the operating instructions.
- Damage caused by the appliance coming into contact with unsuitable materials.
- Claims in respect of compensation for consequential loss, except where such liability is legally mandatory.
- Consumables and cosmetic parts such as glass, bulbs, seals, fuses, filters, external hoses, cosmetic parts, baskets, trays, burner caps, burner bases etc.
- Damage to, or during, the replacement of any light bulbs or removable parts of glass and plastic.
- TH102 3-in-1 instant hot water tap is guaranteed for 2 year parts and 2 year labour.

Details of extended warranties are available on request.

The table below shows where the guarantee is restricted due to non-domestic conditions:

years parts, 2 years labour	2 years parts, 2 years labour	year parts, 1 year labour
 Image: A set of the set of the		
	~	
	~	
	~	
 Image: A second s		
		 Image: A start of the start of

Contact us for more information

The Sales Team: 01949 862010

The Customer Care Team: 01949 862012

www.cda.co.uk Part of the Amica Group



The CDA Group Ltd. Harby Road, Langar, Nottinghamshire, NG13 9HY T: 01949 862 000 F: 01949 862 001 E: sales@cda.co.uk

Distributed in Ireland by: Bodel Distributors. Hulls Lane, Lisburn, BT28 2SR T: 048 9267 2412 F: 048 9267 1873 W: www.bodel.com Distributed in Pakistan by: Chughtaiz. Lahore, Pakistan T: +92 42 3578 2891 2 W: www.chugtaiz.com